| SOLENIS, Strong bonds. Trusted solutions. | Page: 1 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

SECTION 1. IDENTIFICATION

Product identifier

Trade name : LEISURE TIME BROMINATING GRANULAR

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

| Details of the supplier of the safety data sheet Innovative Water Care, LLC D/B/A Leisure Time | Emergency telephone number 1-800-654-6911 (Outside the USA:1-423-780- 2970) |
|--|---|
| 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America (USA) | Product Information 1-800-511-6737 (Outside the USA:1-423-780- 2347) |
| EHSProductSafetyTeam@solenis.com | |

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Oxidizing solids : Category 2

Acute toxicity (Oral) : Category 4

Skin corrosion : Category 1

Serious eye damage : Category 1

Specific target organ toxicity

- single exposure

: Category 3 (Respiratory system)

GHS label elements

Hazard pictograms :







Signal word : Danger

Hazard statements : H272 May intensify fire; oxidizer.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

| SOLENIS, Strong bonds, Trusted solutions. | Page: 2 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

H335 May cause respiratory irritation.

Precautionary statements

Prevention:

P210 Keep away from heat.

P220 Keep/ Store away from clothing/ combustible materials. P221 Take any precaution to avoid mixing with combustibles.

P260 Do not breathe dust.

P264 Wash skin thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P271 Use only outdoors or in a well-ventilated area.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON

CENTER/ doctor if you feel unwell. Rinse mouth.

P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.

P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P363 Wash contaminated clothing before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|----------------------|-----------|--------------------|-------------------|
| SODIUM | 2893-78-9 | Ox. Sol. 2; H272 | >= 80 - < 90 |
| DICHLOROISOCYANURATE | | Acute Tox. 4; H302 | |
| ANHYDRIDE | | Skin Corr. 1; H314 | |

| Strong bonds. Trusted solutions. | | Page: 3 |
|--|---|---------------------------|
| SAFETY DATA SHEET | | Revision Date: 11/30/2022 |
| | | Print Date: 01/11/2023 |
| | | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR 210729 | | Version: 1.1 |
| 210729 | _ | |

Eye Dam. 1; H318 STOT SE 3; H335

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

General advice : Move out of dangerous area.

Consult a physician.

Show this safety data sheet to the doctor in attendance.

Do not leave the victim unattended.

If inhaled : Move to fresh air.

Keep patient warm and at rest.

If unconscious, place in recovery position and seek medical

advice.

If symptoms persist, call a physician.

In case of skin contact : If on skin, rinse well with water.

Wash contaminated clothing before re-use.

If on clothes, remove clothes.

In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Continue rinsing eyes during transport to hospital.

Remove contact lenses. Protect unharmed eye.

If swallowed : Get medical attention immediately.

Do NOT induce vomiting. Rinse mouth with water.

Do not give milk or alcoholic beverages.

Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and effects, both acute and

delayed

Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through

the skin may include:

stomach or intestinal upset (nausea, vomiting, diarrhea)

irritation (nose, throat, airways)

Harmful if swallowed.

Causes serious eye damage. May cause respiratory irritation.

Causes severe burns.

Notes to physician : Probable mucosal damage may contraindicate the use of

gastric lavage. Measures against circulatory shock, respiratory depression and convulsions may be needed.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local

| Solens, Strong bonds, Trusted solutions. | Page: 4 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

circumstances and the surrounding environment.

Water spray

Carbon dioxide (CO2)

Dry chemical

Unsuitable extinguishing

media

High volume water jet

Specific hazards during

firefighting

Never use welding or cutting torch on or near drum (even empty) because product (even just residue) can ignite

explosively.

Do not allow run-off from fire fighting to enter drains or water

courses.

Hazardous combustion

products

Chlorine

Phosgene

nitrogen oxides (NOx)

Carbon oxides cyanide salts hydrogen bromide Sodium oxides

Specific extinguishing

methods

Product is compatible with standard fire-fighting agents.

Further information Fire residues and contaminated fire extinguishing water must

be disposed of in accordance with local regulations. Use a water spray to cool fully closed containers.

for firefighters

Special protective equipment : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Ensure adequate ventilation.

Avoid dust formation. Avoid breathing dust.

Persons not wearing protective equipment should be excluded

from area of spill until clean-up has been completed.

Comply with all applicable federal, state, and local regulations.

Environmental precautions Prevent product from entering drains.

Prevent further leakage or spillage if safe to do so.

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for containment and cleaning up Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for

disposal according to local regulations (see section 13).

Keep in suitable, closed containers for disposal.

| SOLENIS, Strong bonds. Trusted solutions. | Page: 5 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

SECTION 7. HANDLING AND STORAGE

Advice on protection against :

fire and explosion

Avoid dust formation.

Take measures to prevent the build up of electrostatic charge.

Keep away from combustible material.

Provide appropriate exhaust ventilation at places where dust

is formed.

Advice on safe handling : Avoid dust formation.

Provide sufficient air exchange and/or exhaust in work rooms.

Do not breathe vapours/dust.

Do not smoke.

Container hazardous when empty.

Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the

application area.

For personal protection see section 8.

Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated

place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage. Observe label precautions.

Electrical installations / working materials must comply with

the technological safety standards.

Further information on

storage stability

: No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Contains no substances with occupational exposure limit values.

Engineering measures : Provide sufficient mechanical (general and/or local exhaust)

ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust

is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an

approved filter.

Dust safety masks are recommended when the dust

concentration is more than 10 mg/m3.

| SOLENIS. Strong bonds, Trusted solutions. | Page: 6 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Hand protection

Remarks : The suitability for a specific workplace should be discussed

with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield to protect

eyes and skin from airborne dust.

Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:

Chemical resistant apron

Safety shoes

Dust impervious protective suit

Flame-resistant clothing

Choose body protection according to the amount and concentration of the dangerous substance at the work place. Wear resistant gloves (consult your safety equipment

supplier).

Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Avoid breathing dust.

Wash hands before breaks and at the end of workday.

When using do not eat or drink.

Ensure that eyewash stations and safety showers are close

to the workstation location. When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Colour : white

Odour : No data available

Odour Threshold : No data available

pH : 4-5

(aqueous suspension)

Melting point/freezing point : Not applicable

Boiling point/boiling range : No data available

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : Not combustible Dust

| Solenis. Strong bonds. Trusted solutions. | Page: 7 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Self-ignition : No data available

Upper explosion limit / Upper

flammability limit

No data available

Lower explosion limit / Lower

flammability limit

No data available

Vapour pressure : Not applicable

Relative vapour density : No data available

Relative density : No data available

Density : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-

octanol/water

No data available

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous

reactions

Product will not undergo hazardous polymerization.

NFPA Oxidizer Class: Meets the criteria of an NFPA Class 1

Oxidizer.

Conditions to avoid : Heat

Exposure to moisture

Keep away from heat, flame, sparks and other ignition

sources.

Incompatible materials : Acids

Amines

Ammonium salts

| Strong bonds. Trusted solutions. | Page: 8 |
|-----------------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

anionic materials

Bases

oxidizable substances Reducing agents Strong oxidizing agents

Hazardous decomposition

products

Chlorine

Cyanides

Nitrogen oxides (NOx)

Phosgene Carbon oxides

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity

Harmful if swallowed.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Acute oral toxicity : LD50 (Rat): 1,671 mg/kg

Remarks: Information given is based on data obtained from

similar substances.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg

Assessment: Not classified as acutely toxic by dermal

absorption under GHS.

Remarks: Information given is based on data obtained from

similar substances.

Skin corrosion/irritation

Causes severe burns.

Product:

Remarks : Causes severe skin burns and eye damage.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Result : Corrosive to skin

Remarks : Information given is based on data obtained from similar

substances.

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

| SOLENIS. Strong bonds. Trusted solutions. | Page: 9 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Result : Corrosive to eyes

Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Test Type : Maximisation Test

Species : Guinea pig

Method : OECD Test Guideline 406

Germ cell mutagenicity

Not classified based on available information.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: chromosome aberration assay

Species: Rat

Cell type: Bone marrow

Method: OECD Test Guideline 474

Result: negative

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is

identified as probable, possible or confirmed human carcinogen by IARC.

OSHANo component of this product present at levels greater than or equal to 0.1% is

on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is

identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Effects on fertility : Test Type: Three-generation study

| Strong bonds. Trusted solutions. | Page: 10 |
|-----------------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Species: Rat

Application Route: Oral

Dose: 475 milligram per kilogram

Symptoms: No effects on reproduction parameters

Effects on foetal Species: Rabbit

Application Route: Oral development

Dose: 500 milligram per kilogram

Symptoms: No specific developmental abnormalities

STOT - single exposure

May cause respiratory irritation.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment

: Acute aquatic toxicity Category 1; Very toxic to aquatic life. Acute aquatic toxicity

Chronic aquatic toxicity Category 1; Very toxic to aquatic life Chronic aquatic toxicity

with long lasting effects.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l

Exposure time: 96 h

aquatic invertebrates

Toxicity to daphnia and other : EC50 (Daphnia magna (Water flea)): 0.196 mg/l

Exposure time: 48 h

Toxicity to algae/aquatic : EC50 (Aquatic plants): 0.5 mg/l

| Strong bonds. Trusted solutions. | Page: 1 |
|-----------------------------------|--------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/202 |
| | Print Date: 01/11/202 |
| | SDS Number: R160034 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1. |
| 210729 | |

plants Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Persistence and degradability

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Biodegradability : Result: Not readily biodegradable.

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological

information

: An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Very toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water

courses or the soil.

Do not contaminate ponds, waterways or ditches with

chemical or used container.

Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and

federal regulations.

Contaminated packaging : Empty remaining contents.

Dispose of as unused product.

Empty containers should be taken to an approved waste

handling site for recycling or disposal. Do not re-use empty containers.

Do not burn, or use a cutting torch on, the empty drum.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

UN number : UN 2465

| SOLENIS., Strong bonds. Trusted solutions. | Page: 12 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Proper shipping name : Dichloroisocyanuric acid, dry

Class : 5.1
Packing group : II
Packing instruction (cargo : 562

aircraft)

Packing instruction : 558

(passenger aircraft)

Marine pollutant : no

IMDG-Code

UN number : UN 2465

Proper shipping name : DICHLOROISOCYANURIC ACID, DRY

Class : 5.1 Packing group : II

EmS Code : F-A, S-Q

Marine pollutant : no

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations

49 CFR

UN number : UN 2465

Proper shipping name : Dichloroisocyanuric acid, dry

Class : 5.1
Packing group : II
ERG Code : 140
Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

49CFR/IMDG: Packages with inner packaging less than 1L or 1kg and gross weight under 30kg may ship under the Limited Quantity Exception.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Oxidiser (liquid, solid or gas)

| Strong bonds. Trusted solutions. | Page: 13 |
|-----------------------------------|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Acute toxicity (any route of exposure)

Skin corrosion or irritation

Serious eye damage or eye irritation

Specific target organ toxicity (single or repeated exposure)

SARA 313 : This material does not contain any chemical components with

known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

troclosene sodium 2893-78-9

Pennsylvania Right To Know

troclosene sodium 2893-78-9 SODIUM BROMIDE 7647-15-6

New Jersey Right To Know

troclosene sodium 2893-78-9 SODIUM BROMIDE 7647-15-6

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

ENCS : On the inventory, or in compliance with the inventory

KECI: On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

Biocides

EPA Reg. # 7364-103-41760

| SOLENIS. Strong bonds. Trusted solutions. | Page: 14 |
|--|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger, Corrosive., Causes irreversible eye damage or skin burns., Harmful if swallowed or absorbed through the skin., May be fatal if inhaled.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 11/30/2022

Full text of H-Statements

H272 : May intensify fire; oxidizer. H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H318 : Causes serious eye damage. H335 : May cause respiratory irritation.

Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage Ox. Sol. : Oxidizing solids Skin Corr. : Skin corrosion

STOT SE : Specific target organ toxicity - single exposure

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN -Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL -Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS -Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA -International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO -International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO -International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical

| SOLENIS,,, Strong bonds, Trusted solutions. | Page: 15 |
|---|---------------------------|
| SAFETY DATA SHEET | Revision Date: 11/30/2022 |
| | Print Date: 01/11/2023 |
| | SDS Number: R1600341 |
| LEISURE TIME BROMINATING GRANULAR | Version: 1.1 |
| 210729 | |

Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet
Key literature references and sources of data
SOLENIS Internal data
SOLENIS internal data including own and sponsored test reports
The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN