


|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 1                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

## SECTION 1. IDENTIFICATION

### Product identifier

Trade name : LEISURE TIME METAL GON

### Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Water treatment chemical

|  |  |
|--|--|
| <p><b>Details of the supplier of the safety data sheet</b><br/>         Innovative Water Care, LLC<br/>         1400 Bluegrass Lakes Parkway<br/>         Alpharetta, GA 30004<br/>         United States of America (USA)</p> <p>EHSProductSafetyTeam@solenis.com</p> | <p><b>Emergency telephone number</b><br/>         1-800-654-6911 (Outside the USA:1-423-780-2970)</p> <p><b>Product Information</b><br/>         1-800-511-6737 (Outside the USA:1-423-780-2347)</p> |
|--|--|

## SECTION 2. HAZARDS IDENTIFICATION

### GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin corrosion : Category 1

Serious eye damage : Category 1

### GHS label elements

Hazard pictograms :




Signal word : Danger

Hazard statements : H314 Causes severe skin burns and eye damage.

Precautionary statements :

**Prevention:**  
 P264 Wash skin thoroughly after handling.  
 P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response:**  
 P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 2                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
P304 + P340 + P310 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.  
P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.  
P363 Wash contaminated clothing before reuse.

**Storage:**

P405 Store locked up.

**Disposal:**

P501 Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

None known.

---

**SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS**

Substance / Mixture : Mixture

**Components**


| Chemical name                            | CAS-No.   | Classification   | Concentration (%) |
|--|-----------|--|-------------------|
| (1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID | 2809-21-4 | Met. Corr. 1; H290<br>Acute Tox. 4; H302<br>Eye Dam. 1; H318 | >= 1.5 - < 5      |

Actual concentration is withheld as a trade secret

---

**SECTION 4. FIRST AID MEASURES**

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.  
Do not leave the victim unattended.
- If inhaled : Move to fresh air.  
If breathed in, move person into fresh air.  
Keep patient warm and at rest.  
If unconscious, place in recovery position and seek medical advice.  
If symptoms persist, call a physician.
- In case of skin contact : If on skin, rinse well with water.  
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 3                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

of water and seek medical advice.  
 Continue rinsing eyes during transport to hospital.  
 Remove contact lenses.  
 Protect unharmed eye.

If swallowed : Get medical attention immediately.  
 Do NOT induce vomiting.  
 Rinse mouth with water.  
 Do not give milk or alcoholic beverages.  
 Never give anything by mouth to an unconscious person.  
 If symptoms persist, call a physician.

Most important symptoms and effects, both acute and delayed : Causes serious eye damage.  
 Causes severe burns.  
 Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:  
 stomach or intestinal upset (nausea, vomiting, diarrhea)  
 irritation (nose, throat, airways)

Notes to physician : No hazards which require special first aid measures.

---

## SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.  
 Water spray  
 Foam  
 Carbon dioxide (CO<sub>2</sub>)  
 Dry chemical

Unsuitable extinguishing media : High volume water jet

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : Carbon monoxide  
 Carbon dioxide (CO<sub>2</sub>)  
 Oxides of phosphorus


Specific extinguishing methods : Product is compatible with standard fire-fighting agents.

Further information : Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

---

## SECTION 6. ACCIDENTAL RELEASE MEASURES

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 4                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

- Personal precautions, protective equipment and emergency procedures : Use personal protective equipment. Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed. Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains. Prevent further leakage or spillage if safe to do so. If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : Keep in suitable, closed containers for disposal.

---

## SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Advice on safe handling : Do not breathe vapours/dust. When diluting, always add the product to water. Never add water to the product. Container hazardous when empty. Avoid contact with skin and eyes. Smoking, eating and drinking should be prohibited in the application area. For personal protection see section 8. Dispose of rinse water in accordance with local and national regulations.
- Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place. Observe label precautions. Electrical installations / working materials must comply with the technological safety standards.
- Further information on storage stability : No decomposition if stored and applied as directed.

---


## SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

### Components with workplace control parameters

Contains no substances with occupational exposure limit values.

- Engineering measures** : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

### Personal protective equipment

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 5                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield when there is potential for exposure of the eyes or face to liquid, vapor or mist.  
Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:  
Impervious clothing  
Chemical resistant apron  
Safety shoes  
Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Wear resistant gloves (consult your safety equipment supplier).  
Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.  
When using do not eat or drink.  
Ensure that eyewash stations and safety showers are close to the workstation location.  
When using do not smoke.

---

**SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES**

Appearance : liquid

Odour : No data available

Odour Threshold : No data available

pH : 1.0 - 2.0

Melting point/freezing point : No data available

Initial boiling point and boiling range : 212 °F / 100 °C


Flash point : No data available

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Self-ignition : No data available

Upper explosion limit / Upper : No data available

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 6                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

flammability limit

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : > 1

Relative density : 1.01 (68 °F / 20 °C)

Density : No data available

Solubility(ies)

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : Not applicable

Decomposition temperature : No data available

Viscosity

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Oxidizing properties : No data available

---

## SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Incompatible materials : Oxidizing agents  
steel


Hazardous decomposition products : Carbon monoxide  
Carbon dioxide (CO<sub>2</sub>)  
Oxides of phosphorus

---

## SECTION 11. TOXICOLOGICAL INFORMATION

### Acute toxicity

Not classified based on available information.

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 7                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

**Components:**

**(1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID:**

Acute oral toxicity : LD50 (Rat): 1,878 mg/kg  
Remarks: see user defined free text

Acute dermal toxicity : LD50 (Rabbit): 6,000 mg/kg

**Skin corrosion/irritation**

Causes severe burns.

**Product:**

Remarks : Causes severe skin burns and eye damage.

**Components:**

**(1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID:**

Result : Slightly irritating to skin

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Product:**

Remarks : May cause irreversible eye damage.

**Components:**

**(1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID:**

Result : Corrosive to eyes

**Respiratory or skin sensitisation**

**Skin sensitisation**

Not classified based on available information.

**Respiratory sensitisation**

Not classified based on available information.

**Germ cell mutagenicity**

Not classified based on available information.


**Carcinogenicity**

Not classified based on available information.

**IARC** No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

**OSHA** No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

**NTP** No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

|  |                           |
|--|---------------------------|
|  | Page: 8                   |
| <b>SAFETY DATA SHEET</b>   | Revision Date: 10/19/2022 |
|  | Print Date: 01/05/2023    |
|  | SDS Number: R1600264      |
| LEISURE TIME METAL GON<br><br>211662   | Version: 1.0              |

**Reproductive toxicity**

Not classified based on available information.

**STOT - single exposure**

Not classified based on available information.

**STOT - repeated exposure**

Not classified based on available information.

**Aspiration toxicity**

Not classified based on available information.

**Further information****Product:**

Remarks : No data available

---

**SECTION 12. ECOLOGICAL INFORMATION****Ecotoxicity****Product:****Ecotoxicology Assessment**

Acute aquatic toxicity : Not classified based on available information.

Chronic aquatic toxicity : Not classified based on available information.

**Components:****(1-HYDROXYETHYLIDENE) BISPHOSPHONIC ACID:**Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 368 mg/l  
Exposure time: 96 hLC50 (Pimephales promelas (fathead minnow)): 868 mg/l  
Exposure time: 96 h**Persistence and degradability**

No data available

**Bioaccumulative potential**

No data available


**Mobility in soil**

No data available

**Other adverse effects****Product:**

Additional ecological information : No data available



|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 9                   |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

---

### SECTION 13. DISPOSAL CONSIDERATIONS

#### Disposal methods

- Waste from residues : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Send to a licensed waste management company.
- Dispose of in accordance with all applicable local, state and federal regulations.
- Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Empty containers should be taken to an approved waste handling site for recycling or disposal.  
Do not re-use empty containers.

---

### SECTION 14. TRANSPORT INFORMATION

#### International Regulations

##### IATA-DGR

- UN number : UN 3265  
 Proper shipping name : Corrosive liquid, acidic, organic, n.o.s. (1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONIC ACID)  
 Class : 8  
 Packing group : III  
 Packing instruction (cargo aircraft) : 856  
 Packing instruction (passenger aircraft) : 852  
 Marine pollutant : no

##### IMDG-Code

- UN number : UN 3265  
 Proper shipping name : CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S. (1-HYDROXYETHYLIDENE-1,1-DIPHOSPHONIC ACID)  
 Class : 8  
 Packing group : III  
 EmS Code : F-A, S-B  
 Marine pollutant : no


#### Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

#### National Regulations

##### 49 CFR

Not regulated as a dangerous good

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 10                  |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

### Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Product not regulated for ground transport in the USA per exception permitted in 49 CFR 173.154(d). 49CFR/IMDG: Packages with inner packaging less than 5L or 5kg and gross weight under 30kg may ship under the Limited Quantity Exception.

---

## SECTION 15. REGULATORY INFORMATION

### EPCRA - Emergency Planning and Community Right-to-Know Act

#### CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.

#### SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

#### SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

**SARA 311/312 Hazards** : Skin corrosion or irritation  
 Serious eye damage or eye irritation

**SARA 313** : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

### US State Regulations

#### Massachusetts Right To Know

No components are subject to the Massachusetts Right to Know Act.

#### Pennsylvania Right To Know

WATER 7732-18-5

#### New Jersey Right To Know


WATER 7732-18-5  
 etidronic acid 2809-21-4

#### California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

#### The components of this product are reported in the following inventories:

- TCSI : On the inventory, or in compliance with the inventory
- TSCA : All substances listed as active on the TSCA inventory
- AIIC : On the inventory, or in compliance with the inventory
- DSL : All components of this product are on the Canadian DSL
- ENCS : On the inventory, or in compliance with the inventory

|  |  |                           |
|--|--|---------------------------|
|  |  | Page: 11                  |
| <b>SAFETY DATA SHEET</b>   |  | Revision Date: 10/19/2022 |
|  |  | Print Date: 01/05/2023    |
|  |  | SDS Number: R1600264      |
| LEISURE TIME METAL GON   |  | Version: 1.0              |
| 211662   |  |                           |

KECI : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

#### TSCA list

No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

---

## SECTION 16. OTHER INFORMATION

### Further information

Revision Date : 10/19/2022

### Full text of H-Statements

H290 : May be corrosive to metals.

H302 : Harmful if swallowed.

H318 : Causes serious eye damage.


### Full text of other abbreviations

Acute Tox. : Acute toxicity

Eye Dam. : Serious eye damage

Met. Corr. : Corrosive to metals

AllC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals;

|   |                           |
|---|---------------------------|
| <br><small>Strong bonds. Trusted solutions.</small> | Page: 12                  |
| <b>SAFETY DATA SHEET</b>  | Revision Date: 10/19/2022 |
|   | Print Date: 01/05/2023    |
|   | SDS Number: R1600264      |
| LEISURE TIME METAL GON<br><br>211662  | Version: 1.0              |

OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN