	Page: 1
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

SECTION 1. IDENTIFICATION

Product identifier

Trade name : LEISURE TIME REPLENISH

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Pesticide

Details of the supplier of the safety data sheet Innovative Water Care, LLC D/B/A Leisure Time 1400 Bluegrass Lakes Parkway Alpharetta, GA 30004 United States of America (USA) EHSPProductSafetyTeam@solenis.com	Emergency telephone number 1-800-654-6911 (Outside the USA:1-423-780-2970) Product Information 1-800-511-6737 (Outside the USA:1-423-780-2347)
---	---

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Serious eye damage : Category 1

Respiratory sensitisation : Category 1

Skin sensitisation : Category 1

Specific target organ toxicity - single exposure : Category 3 (Respiratory system)

GHS label elements


Hazard pictograms :





Signal word : Danger

Hazard statements : H315 Causes skin irritation.
H317 May cause an allergic skin reaction.
H318 Causes serious eye damage.

	Page: 2
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

Precautionary statements :

Prevention:

P261 Avoid breathing dust.

P264 Wash skin thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing must not be allowed out of the workplace.

P280 Wear protective gloves/ eye protection/ face protection.

P285 In case of inadequate ventilation wear respiratory protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.

P342 + P311 If experiencing respiratory symptoms: Call a POISON CENTER/ doctor.

P362 Take off contaminated clothing and wash before reuse.

P370 + P378 In case of fire: Use dry sand, dry chemical or alcohol-resistant foam to extinguish.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Other hazards


Material can create slippery conditions.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Components

Chemical name	CAS-No.	Classification	Concentration (%)
POTASSIUM PEROXYMONOSULFATE	10058-23-8	Ox. Sol. 1; H271 Skin Corr. 1B; H314 Eye Dam. 1; H318	>= 30 - < 40


	Page: 3
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

SULFURIC ACID MONOPOTASSIUM	7646-93-7	Skin Corr. 1A; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 15 - < 20
SODIUM DICHLOROISOCYANURATE ANHYDRIDE	2893-78-9	Ox. Sol. 2; H272 Acute Tox. 4; H302 Skin Corr. 1; H314 Eye Dam. 1; H318 STOT SE 3; H335	>= 15 - < 20
Sodium carbonate	497-19-8	Eye Irrit. 2A; H319	>= 10 - < 15
POTASSIUM PERSULFATE	7727-21-1	Ox. Sol. 3; H272 Acute Tox. 4; H302 Resp. Sens. 1; H334 Skin Sens. 1B; H317	>= 1.5 - < 5
MAGNESIUM CARBONATE	546-93-0	This material is not considered hazardous under the OSHA Hazard Communication Standard (HazCom 2012).	>= 1 - < 1.5

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : Move to fresh air.
Call a physician or poison control centre immediately.
Keep patient warm and at rest.
If unconscious, place in recovery position and seek medical advice.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
Wash contaminated clothing before re-use.
- In case of eye contact : In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
Continue rinsing eyes during transport to hospital.
Remove contact lenses.

	Page: 4
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2


Protect unharmed eye.

- | | |
|---|---|
| If swallowed | : Obtain medical attention.
Do NOT induce vomiting.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician. |
| Most important symptoms and effects, both acute and delayed | : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Nose bleeding
Cough
Shortness of breath
hole formation in the nasal septum
lung edema (fluid buildup in the lung tissue)
Causes skin irritation.
May cause an allergic skin reaction.
Causes serious eye damage.
May cause allergy or asthma symptoms or breathing difficulties if inhaled.
May cause respiratory irritation. |
| Notes to physician | : No hazards which require special first aid measures. |

SECTION 5. FIREFIGHTING MEASURES

- | | |
|--------------------------------------|--|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam |
| Unsuitable extinguishing media | : High volume water jet |
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses.

Organic dusts at sufficient concentration can form explosive mixtures in air. |
| Hazardous combustion products | : sulfur oxides
Chlorine
Phosgene
nitrogen oxides (NOx)
Carbon oxides
cyanide salts
Sodium oxides
Carbon monoxide
acid vapors
Nitrogen oxides (NOx) |

	Page: 5
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

Carbon dioxide (CO₂)
metal oxides


- Specific extinguishing methods : Product is compatible with standard fire-fighting agents.
- Further information : Material can create slippery conditions.
Water may cause extremely slippery conditions.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.
- Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

- Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.
Use personal protective equipment.
Ensure adequate ventilation.
Avoid dust formation.
Avoid breathing dust.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.
- Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.
- Methods and materials for containment and cleaning up : For small spills, quickly contain and remove the spilled material using absorbent pads, socks, kitty litter, sawdust etc, then appropriately dispose. Do not leave absorbents to sit overnight, as they will become hard and difficult to remove.
The remaining residue or film can be treated with dilute caustic (2%) or dilute liquid bleach (2–5%), allowed to soak for up to one hour, and clean with warm water (between 49C – 54C (120F – 130 F)) or flushed to a sewer using high volumes of water taking into account local guidelines.
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

- Advice on protection against fire and explosion : Avoid dust formation.
Take measures to prevent the build up of electrostatic charge.
Provide appropriate exhaust ventilation at places where dust is formed.
- Advice on safe handling : Avoid spillage on floor as the product can become very slippery.
Avoid dust formation.

 Strong bonds. Trusted solutions.	Page: 6
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

Provide sufficient air exchange and/or exhaust in work rooms.
Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Avoid exposure - obtain special instructions before use.
Avoid contact with skin and eyes.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Observe label precautions.
No smoking.
Electrical installations / working materials must comply with the technological safety standards.


Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
POTASSIUM PERSULFATE	7727-21-1	TWA	0.1 mg/m3 (Persulphate)	ACGIH
MAGNESIUM CARBONATE	546-93-0	TWA (Respirable)	5 mg/m3	NIOSH REL
		TWA (total)	10 mg/m3	NIOSH REL
		TWA (total dust)	15 mg/m3	OSHA Z-1
		TWA (respirable fraction)	5 mg/m3	OSHA Z-1
		TWA (Total dust)	15 mg/m3	OSHA P0
		TWA (respirable dust fraction)	5 mg/m3	OSHA P0

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or

		Page: 7
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

apparent adverse effects.

Provide appropriate exhaust ventilation at places where dust is formed.

Personal protective equipment

Respiratory protection : In the case of dust or aerosol formation use respirator with an approved filter.
Dust safety masks are recommended when the dust concentration is more than 10 mg/m³.

Hand protection

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles and face shield to protect eyes and skin from airborne dust.
Maintain eye wash station in immediate work area.

Skin and body protection : Wear as appropriate:
Safety shoes
Dust impervious protective suit
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).
Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Avoid breathing dust.
Wash hands before breaks and at the end of workday.
When using do not eat or drink.
When using do not smoke.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular


Colour : white

Odour : No data available

Odour Threshold : No data available

pH : 7.0 - 7.5
Concentration: 10 g/l
(aqueous suspension)

Melting point/freezing point : No data available

		Page: 8
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Initial boiling point and boiling range : Not applicable

Flash point : No data available

Evaporation rate : Not applicable

Flammability (solid, gas) : Not combustible Dust
Not combustible Dust

Self-ignition : No data available

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available

Relative vapour density : Not applicable

Relative density : 1.1 - 1.4 (68 °F / 20 °C)

Density : No data available

Solubility(ies)
Water solubility : 250 g/l (68 °F / 20 °C)

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
Viscosity, dynamic : Not applicable

Viscosity, kinematic : No data available


Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous : Product will not undergo hazardous polymerization.

		Page: 10
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Components:

SULFURIC ACID MONOPOTASSIUM:

Acute inhalation toxicity : Assessment: The substance or mixture is classified as specific target organ toxicant, single exposure, category 3 with respiratory tract irritation.

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Acute oral toxicity : LD50 (Rat): 1,671 mg/kg
Remarks: Information given is based on data obtained from similar substances.

Acute dermal toxicity : LD50 (Rat): > 5,000 mg/kg
Assessment: Not classified as acutely toxic by dermal absorption under GHS.
Remarks: Information given is based on data obtained from similar substances.

Sodium carbonate:

Acute oral toxicity : LD50 (Rat): 2,800 mg/kg

Acute inhalation toxicity : LC 50 (Rat): 2,300 mg/m³
Exposure time: 2 h
Test atmosphere: dust/mist

POTASSIUM PERSULFATE:

Acute oral toxicity : LD50 (Rat): 1,130 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC 50 (Rat, male): > 42.9 mg/l
Exposure time: 1 h
Test atmosphere: dust/mist
Remarks: Aerosol

Acute dermal toxicity : LD50 (Rabbit): > 10 g/kg

MAGNESIUM CARBONATE:

Acute oral toxicity : LD50 (Rat): > 2,000 mg/kg
Method: OECD Test Guideline 420
Assessment: No adverse effect has been observed in acute oral toxicity tests.


Skin corrosion/irritation

Causes skin irritation.

Product:

Result : Skin irritation

Remarks : May cause skin irritation and/or dermatitis.

		Page: 11
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Components:

POTASSIUM PEROXYMONOSULFATE:

Result : Causes burns.

SULFURIC ACID MONOPOTASSIUM:

Result : Corrosive

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Result : Corrosive to skin
Remarks : Information given is based on data obtained from similar substances.

Sodium carbonate:

Result : Not irritating to skin

POTASSIUM PERSULFATE:

Species : Rabbit
Result : Not irritating to skin

MAGNESIUM CARBONATE:

Result : Mildly irritating to skin

Serious eye damage/eye irritation

Causes serious eye damage.

Product:

Remarks : May cause irreversible eye damage.

Components:

POTASSIUM PEROXYMONOSULFATE:

Result : Risk of serious damage to eyes.

SULFURIC ACID MONOPOTASSIUM:

Result : Corrosive to eyes

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:


Result : Corrosive to eyes

Sodium carbonate:

Result : Severely irritating to eyes

POTASSIUM PERSULFATE:

Result : Slightly irritating to eyes

		Page: 12
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

MAGNESIUM CARBONATE:

Result : Mildly irritating to eyes

Respiratory or skin sensitisation

Skin sensitisation

May cause an allergic skin reaction.

Respiratory sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Product:

Remarks : May cause allergic skin reaction.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Test Type : Maximisation Test
Species : Guinea pig
Method : OECD Test Guideline 406

POTASSIUM PERSULFATE:

Germ cell mutagenicity

Not classified based on available information.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Genotoxicity in vitro : Remarks: In vitro tests did not show mutagenic effects

Genotoxicity in vivo : Test Type: chromosome aberration assay
Species: Rat
Cell type: Bone marrow
Method: OECD Test Guideline 474
Result: negative


Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

 SOLENIS <small>Strong bonds. Trusted solutions.</small>		Page: 13
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
LEISURE TIME REPLENISH		SDS Number: R1600220
210706		Version: 1.2

Reproductive toxicity

Not classified based on available information.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Effects on fertility : Test Type: Three-generation study
Species: Rat
Application Route: Oral
Dose: 475 milligram per kilogram
Symptoms: No effects on reproduction parameters

Effects on foetal development : Species: Rabbit
Application Route: Oral
Dose: 500 milligram per kilogram
Symptoms: No specific developmental abnormalities

STOT - single exposure

May cause respiratory irritation.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Assessment : May cause respiratory irritation.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Further information

Product:

Remarks : No data available

SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Ecotoxicology Assessment


Acute aquatic toxicity : Acute aquatic toxicity Category 2; Toxic to aquatic life.

Chronic aquatic toxicity : Chronic aquatic toxicity Category 2; Toxic to aquatic life with long lasting effects.

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.13 mg/l

		Page: 14
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 0.196 mg/l
Exposure time: 48 h

Toxicity to algae/aquatic plants : EC50 (Aquatic plants): 0.5 mg/l
Exposure time: 72 h

Ecotoxicology Assessment

Chronic aquatic toxicity : Very toxic to aquatic life with long lasting effects.

Sodium carbonate:

Toxicity to fish : LC50 (Bluegill (Lepomis macrochirus)): 300 mg/l
Exposure time: 96 h
Method: Static
Remarks: Mortality

Toxicity to daphnia and other aquatic invertebrates : LC 50 (Daphnia magna (Water flea)): 265 mg/l
Exposure time: 48 h
Method: Static
Remarks: Mortality

POTASSIUM PERSULFATE:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 76.3 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Information given is based on data obtained from similar substances.

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 133 mg/l
Exposure time: 48 h
Test Type: static test

Persistence and degradability

Components:

SODIUM DICHLOROISOCYANURATE ANHYDRIDE:

Biodegradability : Result: Not readily biodegradable.

POTASSIUM PERSULFATE:


Biodegradability : Result: The methods for determining biodegradability are not applicable to inorganic substances.

Bioaccumulative potential

No data available

Mobility in soil

No data available

		Page: 15
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.
Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Dispose of in accordance with all applicable local, state and federal regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations


49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

49CFR: Material is not regulated for ground transportation within the US if shipped in non-bulk packages. Material is not regulated as a marine pollutant for ground transportation within the US if shipped in non-bulk packages (reference 49CFR 171.4(c)).

 Strong bonds. Trusted solutions.		Page: 16
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
LEISURE TIME REPLENISH		SDS Number: R1600220
210706		Version: 1.2

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Respiratory or skin sensitization
Serious eye damage or eye irritation
Specific target organ toxicity (single or repeated exposure)
Skin corrosion or irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

US State Regulations

Massachusetts Right To Know

troclosene sodium	2893-78-9
dipotassium peroxodisulphate	7727-21-1
MAGNESIUM CARBONATE	546-93-0

Pennsylvania Right To Know

POTASSIUM PEROXYMONOSULFATE	10058-23-8
POTASSIUM SULFATE	7778-80-5
potassium hydrogensulphate	7646-93-7
troclosene sodium	2893-78-9
sodium carbonate	497-19-8
dipotassium peroxodisulphate	7727-21-1

New Jersey Right To Know


POTASSIUM PEROXYMONOSULFATE	10058-23-8
POTASSIUM SULFATE	7778-80-5
potassium hydrogensulphate	7646-93-7
troclosene sodium	2893-78-9
sodium carbonate	497-19-8
dipotassium peroxodisulphate	7727-21-1
MAGNESIUM CARBONATE	546-93-0

California Prop. 65

This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

The components of this product are reported in the following inventories:

TCSI	: On the inventory, or in compliance with the inventory
TSCA	: Exempt
AIIC	: Not in compliance with the inventory

	Page: 17
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

DSL : Exempt

ENCS : Not in compliance with the inventory

KECI : On the inventory, or in compliance with the inventory

PICCS : Not in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

TSCA list

Exempt- This product is exempt from Significant New Use Rule requirements. See information under Biocides for product registration information.”

Exempt-This product is exempt from TSCA 12(b) requirements. See information under Biocides for product registration information.”

Biocides

EPA Reg. # 74849-1-41760

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

Danger, Corrosive., Causes irreversible eye damage or skin burns., Harmful if swallowed or absorbed through the skin.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 12/09/2022

Full text of H-Statements

H271 : May cause fire or explosion; strong oxidizer.

H272 : May intensify fire; oxidizer.

H302 : Harmful if swallowed.

H314 : Causes severe skin burns and eye damage.

H317 : May cause an allergic skin reaction.


H318 : Causes serious eye damage.

H319 : Causes serious eye irritation.

H334 : May cause allergy or asthma symptoms or breathing difficulties if inhaled.


H335 : May cause respiratory irritation.

Full text of other abbreviations

	Page: 18
SAFETY DATA SHEET	Revision Date: 12/09/2022
	Print Date: 01/05/2023
	SDS Number: R1600220
LEISURE TIME REPLENISH 210706	Version: 1.2

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Ox. Sol.	: Oxidizing solids
Resp. Sens.	: Respiratory sensitisation
Skin Corr.	: Skin corrosion
Skin Sens.	: Skin sensitisation
STOT SE	: Specific target organ toxicity - single exposure
ACGIH	: USA. ACGIH Threshold Limit Values (TLV)
NIOSH REL	: USA. NIOSH Recommended Exposure Limits
OSHA P0	: USA. Table Z-1-A Limits for Air Contaminants (1989 vacated values)
OSHA Z-1	: USA. Occupational Exposure Limits (OSHA) - Table Z-1 Limits for Air Contaminants
ACGIH / TWA	: 8-hour, time-weighted average
NIOSH REL / TWA	: Time-weighted average concentration for up to a 10-hour workday during a 40-hour workweek
OSHA P0 / TWA	: 8-hour time weighted average
OSHA Z-1 / TWA	: 8-hour time weighted average

AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

		Page: 19
SAFETY DATA SHEET		Revision Date: 12/09/2022
		Print Date: 01/05/2023
		SDS Number: R1600220
LEISURE TIME REPLENISH 210706		Version: 1.2

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN