Product Name: Mineral Purifier- Mineral Boss

Date: 5/22/2020

SECTION 1 IDENTIFICATION

Company: The Supply Company, Inc.

6924 E. 38th Street Tulsa, OK 74145 918-585-2863

U.S. PERS Emergency Telephone: 1-800-633-8253
Product Name: 1-800-633-8253

Synonyms: N/A **Chemical Formula:** Ag

CAS Number: 7440-22-4
Product Use: Water Purifier

SECTION 2 HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW WARNING



Hazard Statement(s)

H410: Very toxic to aquatic life with long-lasting effects

Precautionary Statement(s)

P273: Avoid release to the environment

P391: Collect Spillage

P501: Dispose of contents/container to an appropriate treatment and disposal facility in accordance

with applicable laws and regulations, and product characteristics at time of disposal.

SECTION 3 COMPOSITION / INGREDIENTS INFORMATION

ComponentCAS NumberPercentNano Silver Powder7440-22-42%

SECTION 4 FIRST AID MEASURES

General: Consult a physician. Show this safety data sheet to the doctor in attendance.

Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

Skin Contact: Wash off with soap and plenty of water. Consult a physician.

Eye Contact: Flush eyes with water as a precaution

Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician.

SECTION 5 FIRE-FIGHTING MEASURES

Extinguishing Media

Suitable Extinguishing Media: Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide.

Special hazards arising from the substance or mixture: No data available.

Advice for firefighters: Wear self-contained breathing apparatus for firefighting if necessary.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures: Avoid dust formation. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.

Environmental Precautions: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

Methods and material for containment and cleaning up: Pick up and arrange disposal without creating dust. Sweep up and shovel. Keep in suitable, closed containers for disposal.

SECTION 7 STORAGE AND HANDLING

Precautions for Safe Handling: Further processing of solid materials may result in the formation of combustible dusts. The potential for combustible dust formation should be taken into consideration before additional processing occurs.

Conditions for safe storage, including any incompatibilities: Keep container tightly closed in a dry and well-ventilated place. Air sensitive. Handle and store under inert gas. Keep in a dry place.

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION

Control Parameters

Components with workplace control parameters

Component	CAS-No.	Value	Control Parameters	Basis
Silver	7440-22-4	TWA	0.010000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1
				Limits for Air Contaminants
		TWA	0.010000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1
				Limits for Air Contaminants
		TWA	0.010000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
	Remarks	Argyria		
		TWA	0.010000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.010000 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1
			_	Limits for Air Contaminants
		TWA	0.010000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.100000 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		Argyria		
		TWA	0.100000 mg/m3	USA. NIOSH Recommended Exposure Limits
		TWA	0.1 mg/m3	USA. ACGIH Threshold Limit Values (TLV)
		TWA	0.01 mg/m3	USA. Occupational Exposure Limits (OSHA) – Table Z-1
				Limits for Air Contaminants
		PEL	0.01 mg/m3	California permissible exposure limits for chemical contaminants (Title 8, Article 107)

Exposure Controls

Appropriate Engineering Controls: Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday.

Personal Protective Equipment

Eye/face protection: Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Skin Protection: handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

Body Protection: Choose body protection in relation to its type, to the concentration and amount of dangerous substances, and to the specific work-place. The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace.

Respiratory Protection: Respiratory protection is not required. Where protection from nuisance levels of dusts are desired, use type N95 (US) or type P1 (EN 143) dust masks. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU)

Control of environmental exposure: Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Physical State: Powder

Appearance: Copper, Silver, Opaque

Odor: Not available Odor Threshold: Not available

pH: 7-9

Melting Point/Freezing Point: Melting point/range: 960°C (1,760°F) – lit.

Initial Boiling Point & Boiling Range: 2,212°C (4,014°F) – lit.

Not available Flash Point: **Evaporation Rate:** Not available Flammability (solid, gas): Not available **Upper/Lower Flammability or Explosive Limits:** Not available **Vapor Pressure:** Not available Vapor Density: Not available **Relative Density:** 10.49 g/cm3 Water Solubility: Not available Partition coefficient (n-octanol/water): Not available **Auto-Ignition Temperature:** Not available **Decomposition Temperature:** Not available Viscosity: Not available **Explosive Properties:** Not available **Oxidizing Properties:** Not available

SECTION 10 STABILITY AND REACTIVITY

Reactivity: No data available.

Chemical Stability: Stable under recommended storage conditions.

Possibility of Hazardous Reactions: No data available.

Conditions to Avoid: No data available.

Incompatible Materials: Oxygen, strong acids and strong bases.

Hazardous Decomposition Products: Hazardous decomposition products formed under fire conditions. -

Silver/silver oxides

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity: LD50 Oral – Rat – male - > 5,000 mg/kg

Skin Corrosion/Irritation: No data available.
Serious Eye Damage/Irritation: No data available.
Respiratory or Skin Sensitization: No data available.

Germ Cell Mutagenicity: No data available. **Tumorigenic:** Tumors at site or application.

Carcinogenicity: Rat - Unreported

No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC, NTP, or OSHA.

Reproductive Toxicity: No data available.

Specific Target Organ Toxicity (Repeated Exposure): No data available. Specific Target Organ Toxicity (Single Exposure): No data available

Aspiration Hazard: No data available.

SECTION 12 **ECOLOGICAL INFORMATION**

Ecology - General: Very toxic to aquatic life with long lasting effects.

Persistence and Degradability: No data available. Bioaccumulative Potential: No data available.

Mobility in Soil: No data available

Other Adverse Effects: An environmental hazard cannot be excluded in the event of unprofessional handling

or disposal.

SECTION 13 DISPOSAL CONSIDERATIONS

Waste Treatment Methods

Product: Offer surplus and non -recyclable solutions to a licensed disposal company.

Contaminated Packaging: Dispose of as unused product.

SECTION 14 TRANSPORTATION INFORMATION

Inner packaging's not over 5.0 kg (11 lbs.) net capacity each for solids, packed in a strong outer packaging:

DOT: UN Number: Limited Quantity/ORM-D

UN Proper Shipping Name: Limited Quantity/ORM-D Transport Hazard Class: Limited Quantity/ORM-D Limited Quantity/ORM-D Limited Quantity/ORM-D

For International can package same as ORM-D but needs Class 9 Label.

Consumer commodity (ORM-D) means a material that is packaged and distributed in a form intended or suitable for sale through retail sales agencies or instrumentalities for consumption by individuals for purposes of personal care or household use. Valid until December 31, 2020.

Inner packaging over 5.0 kg (11 lbs.) net capacity each for solids, packed in a strong outer packaging:

DOT: UN Number: 3077

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID,

N.O.S. (Silver)

Transport Hazard Class:9Packing Group:IIIReportable Quantity:1 lbs.Poison Inhalation Hazard:No

IMDG: UN Number: 3077

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID,

N.O.S. (Silver)

Transport Hazard Class: 9
Packing Group: III
EMS-No: F-A, S-F
Marine Pollutant: Yes

IATA: UN Number: 3077

UN Proper Shipping Name: ENVIRONMENTALLY HAZARDOUS SUBSTANCES, SOLID,

N.O.S. (Silver)

Transport Hazard Class: 9
Packing Group: |||

SECTION 15 **REGULATORY INFORMATION**

SARA 302 Components: No chemicals in this material are subject to the reporting requirements of SARA Title III, Section 302.

SARA 313 Components: The following components are subject to reporting levels established by SARA Title III, Section 313:

CAS-No. Revision Date

Silver 7440-22-4 1993-04-24

SARA 311/312 Hazards: No SARA Hazards

SAFETY DATA SHEET Mineral Purifier

Massachusetts Right To Know Components

 CAS-No.
 Revision Date

 Silver
 7440-22-4
 1993-04-24

Pennsylvania Right to Know Components

CAS-No. Revision Date

Silver 7440-22-4 1993-04-24

New Jersey Right to Know Components

 CAS-No.
 Revision Date

 Silver
 7440-22-4
 1993-04-24

California Prop. 65 Components: This product does not contain any chemicals known to State of California to cause cancer, birth defects, or any other reproductive harm.

SECTION 16 OTHER INFORMATION

NFPA Rating: Health Hazard: 0

Fire Hazard: 0
Reactivity Hazard: 0

HMIS Rating: Health Hazard: 0

Flammability Hazard: 0 Physical Hazard: 0

> Date: 5/22/2020 The Supply Company Inc.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Mineral Buddies™ Shock Treatment **Product name**

Revision date 10-10-19

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

Product ID: Shock Treatment

Chemical Name and Synonyms: Potassium Monopersulfate Compound

Chemical Formula: Proprietary Peroxygen Salt **Chemical Family:**

Product Use: Safe, Effective, Shock Oxidizer Treatment

> **Supplier:** Oreg Corporation **Distributor:** Carefree Stuff

5220 4th Street, Ste 2 42306 Remington Ave. Temecula, CA 92532 Irwindale, CA 91706 951-296-5076 626-337-0611

Emergency Telephone# CHEMTREC 800-424-9300

Product hazard category

Acute toxicity (Oral) Category 4 Skin corrosion Category 1B Serious eye damage/eye irritation Category 1

SIGNAL WORD: DANGER

HAZARD PICTOGRAMS:



Hazardous prevention: P260- Do not breathe dust or mist.

measures

P264- Wash skin thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product.

P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel

unwell.

P301+330+331- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.

P303+361+353- IF ON SKIN (or hair): Remove/ Take off immediately all contaminated

clothing. Rinse skin with water/ shower.

P304+312- IF INHALED: Remove victim to fresh air and keep comfortable for breathing. P305+351+338- IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P307+311- Immediately call a POISON CENTER or doctor/ physician. P362+364- Take off contaminated clothing and wash it before reuse.

P405- Store locked up.

P501- Dispose of contents/ container to an approved waste disposal plant.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Shock Treatment

Revision date 10-10-19

COMPONENT	%	CAS#
Potassium Monopersulfate	32.18%	70693-62-8
Inert ingredients	67.82%	Proprietary

The exact formulation is being withheld as a trade secret.

While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.12009i), all known hazards are clearly communicated within this document.

General advice: When symptoms persist or in all cases of doubt seek medical advice.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial

respiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor

for further treatment advice.

Skin contact: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20

minutes. Call a poison control center or doctore for treatment advice.

immediately. Wash contaminated clothing before re-use.

Eye contact : Hold Eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control

center or doctor for treatment advice.

Ingestion: Call a poison control center or doctor immediately for treatment advice. Have person sip a

glass of water if able to swallow. Do NOT induce vomiting. Do not give anything by mouth to

an unconscious person.

Most important:

symptoms/effects, acute

and delayed

No applicable data available.

Protection of first-aiders: No applicable data available.

Notes to physician : No applicable data available.

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and

the surrounding environment.

Unsuitable extinguishing

media:

Carbon dioxide (CO2)

Specific hazards: The product itself does not burn.

Hazardous decomposition products Oxygen, Sulphur dioxide, Sulfur trioxide

Special protective equipment

for firefighters:

Wear self-contained breathing apparatus and protective suit.

Further information : No applicable data available.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Shock Treatment

Revision date 10-10-19

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with

clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

Safeguards (Personnel): Evacuate personnel to safe areas. Use personal protective equipment.

Environmental precautions: Try to prevent the material from entering drains or water courses.

Spill Cleanup: Sweep up and shovel into suitable containers for disposal. Avoid dust formation.

After cleaning, flush away traces with water.

Accidental Release Measures: Try to prevent the material from entering drains or water courses. Dispose of in

accordance with local regulations.

Handling: Use only in well-ventilated areas. Do not breathe dust. Avoid dust formation in

confined areas. Avoid contact with skin and eyes. Keep away from heat and flame.

Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice

Handling (Physical Aspects): No applicable data available.

Dust explosion class:No applicable data available.

Storage: Keep in a dry, cool and well-ventilated place. Protect from contamination.

Store in original container.

Keep away from: Combustible material Never allow product to get in contact with

water during storage.

Stable under recommended storage conditions.

Storage period:Storage temperature:
No applicable data available.
No applicable data available.

Engineering controls: Ensure adequate ventilation.

Personal protective equipment

Respiratory protection: When workers are facing concentrations above the exposure limit they must use

appropriate certified respirators.

Hand protection: Material: Impervious gloves

Eye protection : Wear safety glasses or coverall chemical splash goggles.

Skin and body protection: Where there is potential for skin contact, have available and wear as appropriate, impervious

gloves, apron, pants, jacket, hood and boots. Remove and wash contaminated clothing

before re-use.

Protective measures: When using do not eat or drink. Do not breathe dust.

Exposure Guidelines

Exposure Limit Values

Potassium Monopersulfate-

Pentapotassium bis(peroxymonosulphate) bis(sulphate) AEL * (DUPONT) 1 mg/m3 15 minute TWA

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Mineral Buddies™ Shock Treatment **Product name**

Revision date 10-10-19

Dipotassium peroxodisulphate

TLV (ACGIH) 0.1 mg/m3 TWA as persulfate

Potassium sulfate

10 mg/m3 AEL * (DUPONT) 8 hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

Appearance (Physical state, form, colour, etc.)

: Solid form, granular **Form**

Color : white Odor : none

Odor threshold : No applicable data available.

: 2.1 at 30 g/l 20 °C (68 °F)

Melting point/freezing point : Melting point

Decomposes before melting.

Boiling point/boiling range : Boiling point

Not applicable Flash point : does not flash

Evaporation rate : No applicable data available.

Flammability (solid, gas) : The product itself does not burn, but it is slightly oxidising (active oxygen

content ca. 2%).

The product is not flammable. : No applicable data available. : No applicable data available.

Lower explosion limit Vapor pressure : < 0.0000017 hPa

Vapour density : No applicable data available.

: No applicable data available. Density

Specific gravity (Relative : 2.35 at 20 °C (68 °F)

density)

Bulk density : 1,100 - 1,400 kg/m3

Water solubility : 297 - 357 g/l at 22 °C (72 °F)

: No applicable data available.

Solubility(ies) Partition coefficient: n-: No applicable data available.

octanol/water

Upper explosion limit

Ignition temperature : no data available

Auto-ignition temperature: No applicable data available. Decomposition temperature: No applicable data available. **Viscosity** : No applicable data available.

Oxidizing Substance : The substance or mixture is not classified as oxidizing.

Reactivity: Stable under recommended storage conditions.

Stable under normal conditions. Stability:

Possibility of hazardous reactions No applicable data available.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Shock Treatment

Revision date 10-10-19

Conditions to avoid: Temperature > 50 °C (> 122 °F) Avoid extreme heat.

Incompatibility: Halogenated compounds Cyanides, Heavy metal salts

Hazardous decomposition products: Oxygen , Sulfur dioxide, Sulfur trioxide products

Potassium Monopersulfate

Monopersulfate compound

Inhalation 4 h LC50: > 5 mg/l, rat

Skin irritation: Species: rabbit, Causes burns. **Eye irritation:** Species: rabbit, Severe eye irritation

Sensitisation: Species: guinea pig, Did not cause sensitization on laboratory animals.

May cause sensitization of susceptible persons by skin contact or by inhalation of

dust.

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

Dermal LD50: > 11,000 mg/kg, rabbit

Oral LD50: 200 - 2,000 mg/kg, rat Gastrointestinal ulceration Internal bleeding

Repeated dose toxicity: Inhalation

Eyes, corneal damage, Reversible

Oral

Stomach, Pathologic changes

Mutagenicity: Did not cause genetic damage in cultured bacterial cells., Tests on mammalian cell cultures showed

mutagenic effects., Evidence suggests this substance does not cause genetic damage in animals.

Teratogenicity: Animal testing showed effects on embryo-fetal development at levels equal to or above those

causing maternal toxicity.

Dipotassium peroxodisulphate

Dermal LD50: > 10,000 mg/kg, Rabbit **Oral LD50:** 1,130 mg/kg, Rat

Repeated dose toxicity: Oral Rat-

NOAEL: 131.5 mg/kgMethod: OECD Test Guideline 407

No toxicologically significant effects were found.

Carcinogenicity: Not classifiable as a human carcinogen.

Animal testing did not show any carcinogenic effects. Information given is based on

data obtained from similar substances.

Mutagenicity: Animal testing did not show any mutagenic effects. Tests on bacterial or

mammalian cell cultures did not show mutagenic effects. Information given is based

on data obtained from similar substances.

Reproductive toxicity:No toxicity to reproduction Animal testing showed no reproductive toxicity.

Information given is based on data obtained from similar substances.

Teratogenicity: Animal testing showed no developmental toxicity. Information given is based on

data obtained from similar substances.

Tetra[carbonato(2-)]dihydroxypentamagnesium

Oral LD50: > 2,000 mg/kg, Rat

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Shock Treatment

Revision date 10-10-19

Information given is based on data obtained from similar substances.

Repeated dose toxicity: Oral, Rat

- 90 d

NOAEL: 1,531 mg/kgMethod: OECD Test Guideline 408

No toxicologically significant effects were found., Information given is based on data

obtained from similar substances.

Carcinogenicity: Not classifiable as a human carcinogen. Information given is based on data

obtained from similar substances. Animal testing did not show any carcinogenic

effects.

Mutagenicity: Tests on bacterial or mammalian cell cultures did not show mutagenic effects.

Evidence suggests this substance does not cause genetic damage in animals.

Information given is based on data obtained from similar substances.

Reproductive toxicity: No toxicity to reproduction Information given is based on data obtained from similar

substances. Animal testing showed no reproductive toxicity.

Teratogenicity: Information given is based on data obtained from similar substances. Animal testing

showed no developmental toxicity.

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Potassium Monopersulfate

Aquatic Toxicity

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

96 h LC50: Cyprinodon variegatus (sheepshead minnow) 1.09 mg/l Directive 67/548/EEC, Annex V, C.1.

96 h ErC50: Selenastrum capricornutum (green algae) > 1 mg/l OECD Test Guideline 201

72 h NOEC: Selenastrum capricornutum (green algae) 0.5 mg/l

48 h EC50: Daphnia magna (Water flea) 3.5 mg/l OECD Test Guideline 202 NOEC Cyprinodon variegatus (sheepshead minnow) 0.222 mg/l

28 d: NOEC Americamysis bahia (mysid shrimp) 0.267 mg/l

Dipotassium peroxodisulphate

96 h LC50: Oncorhynchus mykiss (rainbow trout) 76.3 mg/l US EPA Test Guideline OPP 72-1

Information given is based on data obtained from similar substances.

72 h EbC50: Pseudokirchneriella subcapitata (green algae) 83.7 mg/l OECD Test Guideline 201

Information given is based on data obtained from similar substances.

72 h NOEC: Pseudokirchneriella subcapitata (green algae) 39.2 mg/l OECD Test Guideline 201

Information given is based on data obtained from similar substances.

48 h EC50: Daphnia magna (Water flea) 120 mg/l US EPA Test Guideline OPP 72-2

Information given is based on data obtained from similar substances.

Tetra[carbonato(2-)]dihydroxypentamagnesium

96 h LC50: Pimephales promelas (fathead minnow) 2,120 mg/l

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Shock Treatment

Revision date 10-10-19

Information given is based on data obtained from similar substances.

72 h EC50: Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201

Information given is based on data obtained from similar substances.

72 h NOEC: Desmodesmus subspicatus (green algae) 100 mg/l OECD Test Guideline 201

Information given is based on data obtained from similar substances.

48 h EC50: Daphnia magna (Water flea) 140 mg/l

Information given is based on data obtained from similar substances.

Physico-chemical

removability: hydrolyses

Environmental Fate

Dipotassium peroxodisulphate

Biodegradability: Readily biodegradable.

Tetra[carbonato(2-)]dihydroxypentamagnesium

Biodegradability: The methods for determining biodegradability are not applicable to inorganic substances.

Waste Disposal Methods: Dispose of in accordance with local regulations.

Contaminated Packaging: If recycling is not practicable, dispose of in compliance with local regulations.

DOT UN-Number: 3260

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s.

(Monopersulfate Compound)

Class: 8

Packaging group: II Labeling No.: 8

IATA C UN number: 3260

Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s.

(Monopersulfate Compound,)

Class: 8

Packaging group: II Labeling No.: 8

IMDG UN number: 3260

Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S.

(Monopersulfate Compound,)

Class: 8

Packaging group: II Labeling No.: 8

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Mineral Buddies™ Shock Treatment **Product name**

Revision date 10-10-19

TSCA : On the inventory, or in compliance with the inventory

Other regulations : Active Ingredient in this composition is POTASSIUMPEROXYMONOSULFATE,

> CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%) Active ingredient may also be described by the synonym POTASSIUM MONOPERSULFATE. : This material does not contain any chemical components with known CAS

SARA 313 Regulated numbers that exceed the threshold (De Minimis) reporting levels established Chemical(s)

by SARA Title III, Section 313.

PA Right to Know : Substances on the Pennsylvania Hazardous Substances List present at a Regulated Chemical(s)

concentration of 1% or more (0.01% for Special Hazardous Substances):

Dipotassium peroxodisulphate

NJ Right to Know : Substances on the New Jersey Workplace Hazardous Substance List present

Regulated Chemical(s) at a concentration of 1% or more (0.1% for substances identified as

carcinogens, mutagens or teratogens): Dipotassium peroxodisulphate,

Potassium hydrogensulphate : Acute Health Hazard: Yes

Title III hazard Chronic Health Hazard: No Classification

Fire: No.

Reactivity/Physical hazard: No

Pressure: No

California Prop. 65: Chemicals known to the State of California to cause cancer, birth defects or any

other harm: none known

DATE OF PREPARATION 10-10-2019

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE. HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 1 Identification

Product ID: pH Plus

Chemical Name: Sodium Carbonate, Anhydrous

Synonyms: Sodium carbonate; Carbonic acid, disodium salt; Disodium carbonate

Chemical Formula: NA2CO3 CAS Number: 497-19-8

Product Use: Raises pH, Prevents Corrosion

Supplier: Oreg Corporation Distributor: Carefree Stuff

42306 Remington Ave. 5220 4th Street, Ste 2 Temecula, CA 92590 Irwindale, CA 91702 951-296-5076 626-337-0611

Emergency Telephone# Chemtrec: 1-800-424-9300

Section 2 Hazards identification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 FR 1910.1200)

GHS CLASSIFICATION: Serious eye damage/eye irritation- Category 2

GHS SIGNAL WORD: WARNING



HAZARD PICTOGRAMS:

HAZARD STATEMENT(S):

H319 - Causes serious eye irritation

PRECAUTIONARY STATEMENT(S)- Prevention:

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

PRECAUTIONARY STATEMENT(S)- Response:

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/ attention

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed

Section 3 Composition / Information on ingredients

Ingredients

Chemical Name	CAS-No	Weight %
Sodium carbonate	497-19-8	100

Formula NA2CO3
Chemical Family Alkali salt

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 4 First - aid measures

Eye contact Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms

persist, call a physician.

Skin contact Wash off with warm water and soap. Get medical attention if irritation develops and persists.

Remove and wash contaminated clothing before re-use.

Inhalation Remove person to fresh air. If signs/symptoms continue, get medical attention.

Ingestion Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed:

Causes serious eye damage / eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary:

Treat symptomatically

Section 5 Fire - fighting measures

Suitable extinguishing media

Use extinguishing agent suitable for type of surrounding fire.

Specific Hazards Arising from the

Chemical

Non-combustible, substance itself does not burn but may decompose upon

heating to produce corrosive and/or toxic fumes.

Fumes of sodium oxide. Carbon oxides (COx)

Hazardous combustion products

Explosion Data

Not sensitive.

Not sensitive.

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Protective equipment and precautions for firefighters

As in any fire, wear self-contained breathing apparatus pressure demand

MSHA/NIOSH (approved or equivalent) and full protective gear

Section 6 Accidental release measures

Personal precautions Avoid dust formation. Sweep up to prevent slipping hazard.

Other For further clean-up instructions, call Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

Environmental Precautions Do not flush into surface water or sanitary sewer system.

Methods for containment Prevent large quantities of this product from contacting vegetation or waterways. Cover

with plastic sheet to prevent spreading. Pick up and transfer to properly labeled containers.

Keep in suitable and closed containers for disposal.

Methods for cleaning up Pick up and transfer to properly labeled containers. Keep in suitable and closed containers

for disposal. Dispose of waste as indicated in Section 13.

Section 7 Handling and storage

Handling Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust

ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory

equipment if release of airborne dust is expected.

Storage Store in original container. Keep in properly labeled containers. Keep containers tightly closed.

Incompatible products Aluminum. Powdered aluminum. Acids

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 8 Exposure controls / personal protection

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Local nuisance dust standards apply.

Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust ventilation

and good general extraction.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Tightly fitting safety goggles.

Skin and Body Protection Wear suitable protective clothing. Protective shoes or boots.

Hand Protection Nitrile rubber, Neoprene gloves

Respiratory Protection In case of inadequate ventilation wear respiratory protection.

Hygiene measures Handle in accordance with good industrial hygiene and safety practice.

General information These recommendations apply to the product as supplied

Section 9 Physical and chemical properties

Appearance Granules
Color White
Physical state Solid
Odor odorless
Odor Threshold not applicable

pH 11.4 (as aqueous solution)

Melting Point/Range 851 °C

Freezing point No information available

Boiling Point/Rangenot applicableFlash PointNot combustibleEvaporation rateNot applicable

Flammable (solid, gas)

Non-combustible, substance itself does not burn but may decompose upon heating to

produce corrosive and/or toxic fumes

Flammability Limit in Air

Upper flammabilitylimit:No information availableLower flammabilitylimit:No information availableVapor pressureNo information availableVapor densityNo information availableDensityNo information available

Specific gravity 2.52

Water solubility 212.5 g/L @ 20 °C Solubility in other solvents No information available

Partition coefficient: Not applicable
Autoignition Temperature Not combustible

Decomposition Temperature 400 °C

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 9 Physical and chemical properties (Continued)

Viscosity. kinematic
Viscosity, dynamic
No information available
No information available

Explosive properties Not explosive Oxidizing properties Non-oxidizing

Molecular Weight 105.99

Bulk density 0.86 - 1.12 g/cm³ (Dense grades) 0.70 - 0.90 g/cm³ (Light Grades)

Kst 0 bar m/s

Section 10 Stability and reactivity

Reactivity None under normal use conditions.

Chemical Stability Stable. Decomposes by reaction with strong acid.

Possibility of Hazardous ReactionsNone under normal processing.

Hazardous polymerizationHazardous polymerization does not occur.

Conditions to avoid Exposure to air or moisture over prolonged periods.

Incompatible materials Aluminium. Powdered aluminum. Acids.

Hazardous Decomposition Products Sodium oxides. Carbon oxides (COx).

Section 11 Toxicological information

Product Information

LD50 Oral 2,800 mg/kg (rat) **LD50 Dermal** > 2,000 mg/kg (rabbit)

LC50 Inhalation 2.3 mg/L (rat)

Eye Contact Irritating to eyes.
Skin Contact Non-irritating

Sensitization Patch test on human volunteers did not demonstrate sensitization properties.

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity No known effect.

Mutagenicity No information available

Carcinogenicity Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).

Reproductive toxicity
STOT - single exposure
STOT - repeated exposure
Aspiration hazard
No information available.
No information available.
No information available.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 12 Ecological information

Ecotoxicity

Sodium carbonate (497-19-8)						
Active Ingredient(s)	Duration	Species	Value	Units		
Sodium Carbonate	96 h LC50	Bluegill sunfish	300	mg/L		
Sodium Carbonate	48 h EC50	Ceriodaphnia	200-227	mg/L		

Persistence and degradability Biodegradability does not pertain to inorganic substances. .

Bioaccumulation Does not bioaccumulate. **Mobility** Dissociates into ions.

Other adverse effects None known

Section 13 Disposal considerations

Waste disposal methods This material, as supplied, is not a hazardous waste according to Federal regulations (40

CFR 261). Dispose of in accordance with local regulations.

Contaminated Packaging Dispose of in accordance with local regulations.

Section 14 Transport information

DOT Not regulated

TDG Not regulated

ICAO/IATA Not regulated

IMDG/IMO Not regulated

Section 15 Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard YES
Chronic Health Hazard NO
Fire Hazard NO
Sudden Release of Pressure Hazard NO
Reactive Hazard NO

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Up

Revision date 10-10-19

Section 15 Regulatory information (Continued)

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

International Inventories

COMPONENT	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Sodium Carbonate 497-19-8 (100)	Х	Х	X	X	X	X	X	X

International Regulations

Mexico – Grade Moderate risk, Grade 2

WHMIS Hazard Class D2B Toxic materials, Eye irritation

Class E: Corrosive to aluminum. Not corrosive to animal skin or carbon steel.

Section 16 Other information

NFPA	Health Hazard 2	Flammability 0	Stability 0	Special Hazards -
HMIS	Health Hazard 2	Flammability 0	Stability 0	Special Protection X

NFPA/HMIS Ratings Legend Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0

DATE OF PREPARATION 5-15-19

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

5220 4th Street, Ste 2

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 1 Identification

> pH & Alk Down Product ID:

Synonyms: Sodium bisulfate, anhydrous.

Nitre cake, GBS, Sodium hydrogen sulphate

Product Use: Lowers pH, Prevents Scaling

Supplier: **Oreq Corporation** Distributor: Carefree Stuff

> 42306 Remington Ave. Temecula, CA 92590

Irwindale, CA 91702 951-296-5076 626-337-0611

CHEMTREC, U.S.: 1-800-424-9300 **Emergency Phone#**

Section 2 Hazards identification

OSHA/HCS status: This material is considered hazardous by the OSHA Hazard Communication Standard

(29 CFR 1910.1200).

Classification of the

substance or mixture:

SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1

GHS label elements Hazard pictograms:



Signal word: Danger

Hazard statements: H318 - Causes serious eye damage.

Precautionary statements

Prevention: P280 - Wear eye or face protection.

P264 - Wash hands thoroughly after handling.

P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several Response:

minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a POISON CENTER or physician.

Not applicable. Storage: Not applicable. Disposal:

Hazards not otherwise

Classified : None known.

Section 3 **Composition / Information on ingredients**

United States - Mexico

Name	%	CAS number
Sodium bisulfate	>90	7681-38-1

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 4 First - aid measures

Description of necessary first aid measures

Eye contact : Immediately flush eyes with plenty of water, occasionally lifting the upper and lower

eyelids. If redness or irritation persists, get prompt medical attention.

Inhalation: Move exposed person to fresh air. If not breathing, if breathing is irregular or if

respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.

If irritation or discomfort persists, seek medical attention.

Skin contact: In case of contact, immediately flush skin with plenty of water for at least 20 minutes.

If skin irritation occurs, seek medical attention.

Ingestion: Wash out mouth with water. Do not induce vomiting unless directed to do so by

medical personnel. Never give anything by mouth to an unconscious person. Call

medical doctor or poison control center immediately.

Most important symptoms/effects, acute and delayed

Potential acute health effects

Eye contact: Causes serious eye damage.

Inhalation: Inhalation of dust may irritate nose, throat and/or lungs.

Skin contact: Prolonged exposure may cause skin irritation.

Ingestion : Small amounts (tablespoonful) swallowed are not likely to cause injury; however,

swallowing large amounts may irritate or burn digestive tract.

Over-exposure signs/symptoms

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation :No known significant effects or critical hazards.

Skin contact :Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur if repeated exposure

Ingestion :Adverse symptoms may include the following:

stomach pains

Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician : Treat symptomatically. Contact poison treatment specialist immediately if large

quantities have been ingested or inhaled.

Specific treatments: No specific treatment.

Protection of first-aiders: No action shall be taken involving any personal risk or without suitable training.

See toxicological information (Section 11)

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Fire - fighting measures Section 5

Extinguishing media

Suitable Extinquishing

Media

: Use an extinguishing agent suitable for the surrounding fire.

Unsuitable Extinquishing

Media

: None known.

Specific hazards arising

from the chemical

: No specific fire or explosion hazard.

Hazardous thermal decomposition products : Decomposition products may include the following materials:

Sulfur oxides

Special protective actions

for fire-fighters

: No special measures are required.

Special protective equipment

for fire-fighters

: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure

mode.

Section 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

: Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment.

For emergency responders

: If specialized clothing is required to deal with the spillage, take note of any information inSection 8 on suitable and unsuitable materials. See also the

information in "For nonemergency personnel".

Environmental precautions

: Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused

environmental pollution (sewers, waterways, soil or air).

Methods and materials for containment and cleaning up

Small Spill : Vacuum or sweep up material and place in a designated, labeled waste container.

Dispose of via a licensed waste disposal contractor.

Large Spill : Prevent entry into sewers, water courses, basements or confined areas. Vacuum

> or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact

information and Section 13 for waste disposal.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 7 Handling and Storage

Precautions for safe handling

Protective measures :Put on appropriate personal protective equipment (see Section 8). Avoid breathing

dusts. Wash thoroughly after handling.

Advice on general Occupational hygiene

:Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene

measures.

Conditions for safe storage, Including any incompatibilities

:Material is hygroscopic and will readily absorb moisture. DO NOT store dry product

where exposed to moist conditions. Keep container tightly closed.

Section 8 Exposure controls / personal protection

Control parameters

Occupational exposure limits

None Mexico None

Appropriate engineering

controls

: If user operations generate dust, fumes, gas, vapor or mist, use process enclosures,local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

Environmental exposure

controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

Individual protection measures

Hygiene measures : Ensure that eyewash stations and safety showers are close to the workstation

location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the

working period.

Eye/face protection : Safety eyewear should be used when there is a likelihood of exposure.

Recommended: Safety glasses with side shields.

Skin protection

Hand protection: Use gloves appropriate for work or task being performed. Recommended: Rubber

gloves.

Body protection : Cotton-blend coveralls

Other skin protection :Appropriate footwear and any additional skin protection measures should be

selected based on the task being performed and the risks involved and should be

approved by a specialist before handling this product.

Respiratory protection: In dusty atmospheres (>10 mg/m³), use a NIOSH-approved dust respirator.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 9 Physical and chemical properties

Appearance

Physical state : Dry (Anhydrous) crystalline solid spherical shape beads.

Color : Off-white.

Odor : Fresh to pungent.
Odor Threshold : Not available

pH : <1 [Conc. (% w/w): 5%]

Boiling point: Not available.Flash point: Not available.Evaporation rate: Not available.Flammability (solid, gas): Not available.Lower and upper explosive: Not available.

(flammable) limits

Vapor pressure: Not available.Vapor density: Not available.

Relative density :1.28

Solubility : Partially soluble in the following materials: cold water and hot water.

Viscosity : Not available.
Volatility : Not available.

Section 10 Stability and reactivity

Reactivity: No specific test data related to reactivity available for this product or its ingredients.

Chemical stability : The product is stable.

Possibility of hazardous reactions: Under normal conditions of storage and use, hazardous reactions will not occur.

Conditions to avoid : DO NOT store dry product where exposed to moist conditions.

Incompatible materials : Reactive or incompatible with the following materials: oxidizing materials, acids

and alkalis. DO NOT MIX dry or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleansers or similar products.

Hazardous decomposition products : Under normal conditions of storage and use, hazardous decomposition products

should not be produced.

Section 11 Toxicological information

Information on toxicological effects

Acute toxicity

Product/ingredient name	Result	Species	Dose	Exposure
Sodium bisulfate	LD50 Oral	Rat	2800 mg/kg	-

Irritation/Corrosion -There is no data availableSensitization -There is no data availableCarcinoαenicity -There is no data available

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 11 Toxicological information (Continued)

<u>Specific target organ toxicity (single exposure)</u> - There is no data available <u>Specific target organ toxicity (repeated exposure)</u> - There is no data available

Aspiration hazard- There is no data available

Information on the likely

: Dermal contact. Eye contact. Inhalation. Ingestion.

routes of exposure

Potential acute health effects

Eye contact : Causes serious eye damage.

Inhalation: Inhalation of dust may irritate nose, throat and/or lungs.

Skin contact: Prolonged exposure may cause skin irritation.

Ingestion : Small amounts (tablespoonful) swallowed are not likely to cause injury; however,

swallowing large amounts may irritate or burn digestive tract.

Symptoms related to the physical, chemical and toxicological characteristics

Eye contact : Adverse symptoms may include the following:

pain watering redness

Inhalation :No known significant effects or critical hazards.

Skin contact :Adverse symptoms may include the following:

pain or irritation

redness

blistering may occur if repeated exposure

Ingestion :Adverse symptoms may include the following:

stomach pains

Delayed and immediate effects and also chronic effects from short and long term exposure

Short term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects: No known significant effects or critical hazards.

Long term exposure

Potential immediate : No known significant effects or critical hazards.

effects

Potential delayed effects : No known significant effects or critical hazards

Potential chronic health effects

General: No known significant effects or critical hazards.Carcinogenicity: No known significant effects or critical hazards.Mutagenicity: No known significant effects or critical hazards.Teratogenicity: No known significant effects or critical hazards.Developmental effects: No known significant effects or critical hazards.

Fertility effects: No known significant effects or critical hazards.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Section 11 Toxicological information (Continued)

Acute toxicity estimates

Route	ATE value
Oral	3080.3 mg/kg

Section 12 Ecological information

<u>Toxicity</u>: There is no data available. <u>Persistence and degradability</u>: There is no data available. <u>Bioaccumulative potential</u>: There is no data available.

Mobility in soil

Soil/water partition coefficient (Koc)

: There is no data available.

Other adverse effects

: This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product will likely be acutely harmful to aquatic

life.

Section 13 Disposal considerations

Disposal Methods

: The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

Section 14 Transport information

	DOT/MEX Classification	IMDG	IATA
UN number	Not regulated	Not regulated	Not regulated
UN proper	-	-	-
Shipping name			
Transport	-	-	-
Hazard class			
Packing group	-	-	-
Environmental	No	No	No
hazards			
Additional	-	-	-
information			

Special precautions for user

:Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

: Not available.

Section 15 Regulatory information

U.S. Federal regulations : TSCA 8 (a) CDR Exempt Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ pH & Alk Down

Revision date 10-10-19

Clean Air Act Section 112

(b) Hazardous Air Pollutants (HAPs)

: Not Listed

Clean Air Act Section 602

Class I Substances

: Not Listed

Clean Air Act Section 602

Class II Substances

: Not Listed

DEA List I Chemicals

: Not Listed

(Precursor Chemicals)

DEA List II Chemicals (Essential Chemicals)

: Not Listed

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ: :Not applicable

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

Name	%	Fire Hazard	Sudden Release of Pressure	Reactive	Immediate (acute) Health	Delayed (chronic) Health
			11000010		hazard	hazard
Sodium Bisulfate	>90	No.	No.	No.	Yes.	No.

State regulations

Massachusetts: None of the components are listed.New York: None of the components are listed.New Jersey: None of the components are listed.Pennsylvania: None of the components are listed.

California Prop. 65

No products were found.

<u>Mexico</u>

Classification : Health Flammability Reactivity

1 0 0

Section 16 Other information

DATE OF PREPARATION 5-15-2019

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 1 Identification

Product ID: Calcium Up

Chemical Name: Calcium Chloride Synonyms: Calcium Chloride Flake

CAS Number: 10043-52-4

Product Use: Raises Calcium, Prevents Corrosion

Supplier: Oreg Corporation Distributor: Carefree Stuff

42306 Remington Ave. 5220 4th Street, Ste 2 Temecula, CA 92590 Irwindale, CA 91702 951-296-5076 626-337-0611

Emergency Phone# - CHEMTREC: 800-424-9300

Section 2 Hazards identification

GHS CLASSIFICATION: Acute Oral Toxicity Category 4

Serious Eye Damage/Eye Irritation Category 2

GHS SIGNAL WORD: WARNING

HAZARD PICTOGRAMS:

♦

Appearance: White Physical State: Flake Odor: Odorless

Hazard Statement(s)

H302 Harmful if swallowed H316 Causes mild skin irritation H319 Causes serious eye irritation

Precautionary Statement(s):

P264: Wash ... thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

you feel unwell P330 - Rinse mouth

P280 - Wear protective gloves/protective clothing/eye protection/face protection

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 3 Composition / Information on ingredients

Chemical Name	CAS-No	Weight %
Calcium Chloride	10043-52-4	74-100
Water	7732-18-5	0-26
Sodium Chloride	7647-14-5	< 3
Potassium Chloride	7447-40-7	< 3
Magnesium Chloride	7786-30-3	< 0.5

Section 4 First - aid measures

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye

wide open while rinsing. Obtain medical attention if irritation persists.

Skin Contact: Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and

persists.

Inhalation: Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell Rinse mouth.

Notes to Physician: Treat symptomatically and supportively.

Section 5 Fire - fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Specific Hazards Arising from the Chemical

Avoid generating dust, under certain conditions may cause respiratory irritation. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

None

Explosion Data

Sensitivity to Mechanical Impact None Sensitivity to Static Discharge None

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 Accidental release measures

Personal Precautions:

Avoid contact with the skin and the eyes. Use personal protective equipment. Avoid dust formation.

Environmental Precautions:

Prevent large spills from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12,

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 6 Accidental release measures (Continued)

Ecological Information.

Methods and Materials for Containment and Cleaning Up:

Small and large spills: Contain spilled material if possible. Collect in suitable and properly labeled containers. Flush residue with plenty of water. See Section 13, Disposal considerations, for additional information.

Section 7 Handling and storage

Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and

accumulation. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Wash clothing before reuse. Always use cool water when dissolving Calcium Chloride. Heat evolved is

significant.

Storage: Store in a tightly closed container. Store in a cool, dry, well-ventilated area away

from incompatible substances. Store protected from moisture. Store below melting point.

Incompatible Products: Zinc, Bromine tri-fluoride, Methyl vinyl ether

Section 8 Exposure controls / personal protection

Exposure Guidelines

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH IDLH
Calcium Chloride	ACGIH - (TLV-TWA) Guidelne	OSHA (PEL-TWA) - Z-3 Mineral	-
10043-52-4	for nuisance particulate	Dusts, Inert or Nuisance dusts,	
	(inhalable particulate): 10 mg/m3	(respirable fraction): 5 mg/m3	

Engineering Measures Provide local exhaust ventilations system. When there is a potential for exposure, an

emergency eyewash and safety shower should be provided within the immediate work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with non-flexible side shields or chemical goggles

Skin and Body Protection Hands and Feet:

Wear appropriate protective non-leather protective gloves and boots. Chemical protective gloves and boots such as PVC, Neoprene, or Heavy Nitrile are recommended. Leather products do not offer adequate protection and will dehydrate with resultant shrinkage and

possible destruction.

Body: Wear appropriate protective, impervious clothing.

Respiratory Protection A respirator is not indicated under normal operating conditions. Use of a NIOSH - approved

respirator (N95 or greater) should be based on the presence of nuisance dusts.

Hygiene Measures When using, do not eat, drink or smoke. Remove and wash contaminated clothing before re-

use. Provide regular cleaning of equipment, work area and clothing.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 9 Physical and chemical properties

Physical State: Flake Appearance: white Odor: odorless

pH: 8-10 100 g/l aq.sol.Vapor Pressure: Not available.Vapor Density: Not available.Evaporation Rate: Not available.

Viscosity: Not available.

Boiling Point: > 1600 deg C @ 760.0 Freezing/Melting Point: 782 deg C

Decomposition Temperature: Not available.

Solubility: 740 g/l water (20°C)

Specific Gravity/Density: Not available.

Molecular Formula: CaCl2 Molecular Weight: 110.99

Section 10 Stability and reactivity

Chemical Stability: Stable.

Conditions to Avoid: Dust generation, excess heat, exposure to moist air or water. **Incompatibilities with Other Materials:** Zinc, Bromine tri-fluoride, Methyl vinyl ether

Hazardous Decomposition Products: Hydrogen chloride, calcium oxide.

Hazardous Polymerization: Will not occur.

Section 11 Toxicological information

Information on likely routes of exposure

Inhalation May cause irritation of respiratory tract.

Skin Contact Irritating to eyes. **Skin Contact** May cause irritation. **Ingestion** Harmful if swallowed.

Component Information

Chemical Name	LD50 Oral	LD50 Dermal	LC50 Inhalation
Calcium Chloride	= 1000 mg/kg (Rat)	= 2630 mg/kg (Rat)	1
Potassium Chloride	= 2600 mg/kg (Rat)	-	ı
Sodium chloride	= 3 g/kg (Rat)	> 10 g/kg (Rabbit)	> 42 g/m3 (Rat) 1 h

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms May cause irritation to the respiratory system.

Delayed and immediate effects and also chronic effects from short and long term exposure

Eye damage/irritation Irritating to eyes.

SensitizationMutagenic Effects
No information available.
No information available.

Carcinogenicity Contains no ingredients above reportable

quantities listed as a carcinogen.

Reproductive ToxicitySTOT - single exposure
No information available.
No information available.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 11 Toxicological information (Continued)

STOT - repeated exposure
Chronic Toxicity
Aspiration Hazard
No information available.
No information available.

Numerical measures of toxicity - Product

Acute Toxicity 0% of the mixture consists of ingredient(s) of

unknown toxicity.

The following values are calculated based on chapter 3.1 of the GHS document:

LD50 Oral

979 mg/kg; Acute toxicity estimate

LD50 Dermal

2630 mg/kg; Acute toxicity estimate

Section 12 Ecological information

Ecotoxicity

Chemical Name	Toxicity to Algae	Toxicity to Fish	Toxicity to Microorganisms	Daphnia Magna (Water Flea)
Calcium Chloride 10043-52-4		LC50 96 h: = 10650 mg/L static (Lepomis macrochirus)		LC50 48 h: = 2400 mg/L (Daphnia magna)
Potassium Chloride 7447-40-7	EC50 72 h: = 2500 mg/L (Desmodesm us subspicatus)	LC50 96 h: 750-1020 mg/L static (Pimephales promelas) LC50 96 h: = 1060 mg/L static (Lepomis macrochirus)		EC50 48 h: = 825 mg/L (Daphnia magna) EC50 48 h: = 83 mg/L Static (Daphnia magna)
Sodium chloride 7647-14-5		LC50 96 h: 5560 - 6080 mg/L flow-through (Lepomis macrochirus) LC50 96 h: = 12946 mg/L static (Lepomis macrochirus) LC50 96 h: 6020 - 7070 mg/L static (Pimephales promelas) LC50 96 h: = 7050 mg/L semi-static (Pimephales promelas) LC50 96 h: 6420 - 6700 mg/L static (Pimephales promelas) LC50 96 h: 4747 - 7824 mg/L flow-through (Oncorhynchus mykiss)		EC50 48 h: = 1000 mg/L (Daphnia magna) EC50 48 h: 340.7 - 469.2 mg/L Static (Daphnia magna)

Section 13 Disposal considerations

Waste Disposal Methods T

This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

Section 14 Transport information

US DOT –Not RegulatedTDG –Not RegulatedMEX –Not Regulated

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Mineral Buddies™ Calcium Up

Revision date 10-10-19

Section 15 Regulatory information

International Inventories

TSCA Complies
DSL Complies

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

Acute Health Hazard Yes
Chronic Health Hazard No
Fire Hazard No
Sudden Release of Pressure Hazard No
Reactive Hazard No

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Section 16 Other information

HMIS Rating
Health hazard: 1
Flammability: 0
Physical Hazard 1

NFPA Rating
Health hazard: 1
Fire Hazard: 0
Reactivity Hazard: 1

DATE OF PREPARATION 10-10-19

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.



Product Name: Chlorinating Granules

2/22/2019 Date:

SECTION 1 **IDENTIFICATION**

Supplier: **Distributor:** Essentials **Phoenix Products Company**

> 55 Container Drive 5070 Wallace Drive Terryville, CT 06786 Cumming, GA 30041 (860) 589-7502 (626) 305-1182

U.S. Emergency Telephone: 1-800-222-1222

Product Name: Chlorinating Granules

Synonyms: Sodium dichloroisocyanurate dihydrate; Dichlor dihydrate; 1,3,5-Triazine-

2,4,6(1H,3H,5H)-trione, 1,3-dichloro-, sodium salt dihydrate; Troclosene

sodium, dihydrate; SDCC dihydrate; NaDCC dihydrate

Chemical Name: Sodium Dichloro-S-Triazinetrione Dihydrate

C₃N₃O₃Cl₂Na.2H₂O **Chemical Formula:**

CAS Number: 51580-86-0

Product Use: Disinfects spas and pools.

HAZARDS IDENTIFICATION SECTION 2

EMERGENCY OVERVIEW DANGER - CORROSIVE







Hazard Statement(s)

H302: Harmful if swallowed

H312: Harmful in contact with skin

H318: Causes serious eye damage

H330: Fatal if inhaled

H335: May cause respiratory irritation

H400: Very toxic to aquatic life

Precautionary Statement(s)

P221: Take any precaution to avoid mixing with other chemicals

P260: Do not breathe dust, vapours or spray mist.

P262: Do not get in eyes, on skin, or on clothing.

P264: Wash thoroughly with soap and water after handling.

P280: Wear protective gloves, protective clothing, eye protection and face protection.

P273: Avoid release to the environment

P321: Specific treatment (see First Aid Measures on this label).

P362+364: Take off contaminated clothing and wash it before reuse.

P501: Dispose of contents/container in accordance with national and international regulations

POTENTIAL HEALTH EFFECTS

Eye: This material is corrosive to the eye. Direct contact may cause severe irritation, pain and burns, possibly severe, and permanent damage including blindness. The degree of injury depends on the concentration and duration of contact.



Skin: This material is moderately irritating to the skin. Direct contact with wet material or moist skin may cause severe irritation, pain, and possibly burns. Dry material is less irritating than wet material. This material is not a skin sensitizer based on studies with guinea pigs.

SECTION 2 HAZARDS IDENTIFICATION - CONTINUED

Inhalation: This material in the form as sold is not expected to produce respiratory effects. Particles of respirable sizes are generally not encountered. The respirable fraction is typically less than 0.1% by weight for the granular and extra granular grades. If ground or otherwise in a powdered form, effects similar to a corrosive substance may occur. May cause severe irritation of the respiratory tract with coughing, choking, pain and possibly burns of the mucous membranes. If significant or prolonged exposure occurs, pulmonary edema may develop, either immediately or mor often within a period of 5-72 hours. The symptom may include tightness in the chest dyspnea, frothy sputum, cyanosis, and dizziness. Physical findings may include moist rales, low blood pressure and high pulse pressure. Severe cases may be fatal.

Ingestion: Not a likely route of exposure. Harmful if swallowed. Ingestion may cause immediate pain and severe burns of the mucous membranes. There may be discoloration of the tissues. Swallowing and speech may be difficult at first and then almost impossible. The effects on the esophagus and gastrointestinal tract may range from irritation to severe corrosion. Edema of the epiglottis and shock may occur.

Chronic Exposure/Carcinogenicity: Based on animal studies, exposure to concentrations of monosodium cyanurate at the solubility limit may cause cardiovascular, kidney and urinary bladder effects.

Aggravation of Pre-Existing Conditions: Eye disorders, respiratory disorders, skin disorders and allergies

SECTION 3 COMPOSITION/INFORMATION ON INGREDIENTS

ComponentCAS NumberPercentSodium Dichloro-S-Triazinetrione Dihydrate51580-86-099%

SECTION 4 FIRST-AID MEASURES

Eye Contact: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lens, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Skin Contact: Remove contaminated clothing. Wash skin thoroughly with mild soap and plenty of water for at least 15 minutes. Wash clothing before re-use. Get medical attention immediately.

Inhalation: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Ingestion: Call poison control center, or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconscious person.



SECTION 5 FIRE FIGHTING MEASURES

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

Suitable Extinguishing Media: Water

Extinguishing Media Not To Be Used: Do not use dry chemical extinguisher containing ammonia compounds.

Fire Fighting Procedure: Cool containers with water spray. Fire fighters should wear full protective clothing and self-contained breathing apparatus (SCBA) in positive pressure mode. On small fires, use water spray or fog. On large fires, use heavy deluge or fog streams. Flooding amounts of water may be required before extinguishment can be accomplished.

Unusual Fire and Explosion Hazards: When heated to decomposition, may release poisonous and corrosive fumes of Nitrogen trichloride, chlorine and CO.

SECTION 6 ACCIDENTAL RELEASE MEASURES

Personal Precautions: For small spills in a well-ventilated areas, wear a NIOSH approved half-face or full face tight fitting respirator or a loose fitting powered air purifying respirator equipped with chlorine cartridges. Chemical goggles should be worn when using a half-face respirator. In addition to respiratory protection, wear coveralls, chemical resistant gloves, chemical resistant footwear; and chemical resistant headgear for overhead exposure. For clean-up of large spills, or small dry spills in confined areas, wear full-face respirator with chlorine cartridges or a positive pressure supplied air respirator. Additionally, body protection should be impervious clothing covering entire body to prevent personal contact with material. **CAUTION** - Protection concerns must also address the following: If this material becomes damp/wet or contaminated in a container, the formation of nitrogen trichloride gas may occur and an explosive condition may exist.

Methods For Cleaning Up: Hazardous concentrations in air may be found in local spill area and immediately downwind. If spill material is still dry, do not put water directly on this product as a gas evolution may occur. **Soil -** Do not contaminate spill material with any organic materials, ammonia, ammonium salts or urea. Clean up all spill material with clean, dry dedicated equipment and place in a clean dry container. **Water -**This material is heavier than and soluble in water. Stop flow of material into water as soon as possible. Begin monitoring for available chlorine and pH immediately. **In Air -** Vapors may be suppressed by the use of water fog.

SECTION 7 HANDLING AND STORAGE

Handling: Do not take internally.

Avoid contact with skin, eyes, and clothing.

Upon contact with skin or eyes, wash off with water.

Storage: Store in a dry, cool, well-ventilated area away from incompatible materials (see "materials to avoid").

Do not store at temperatures above 60°C/140°F.



SECTION 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

EXPOSURE LIMITS:

COMPONENTS	ACGIH-TLV Data	OSHA (PEL) Data
SODIUM DICHLOROISOCYANURATE DIHYDRATE	Not Determined	Not Determined

<u>Ventilation Requirements:</u> Use local exhaust ventilation to minimize dust and chlorine levels where industrial use occurs. Otherwise ensure good general ventilation.

Personal Protective Equipment:

Respiratory Protection: A respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed whenever workplace conditions warrant a respirator's use. When dusty conditions are encountered, wear a NIOSH/OSHA full-face respirator with chlorine cartridges for protection against chlorine gas and dust/mist pre-filter.

Hand Protection: Chemical resistant gloves

Eye Protection: Use chemical safety glasses to avoid eye contact. Where industrial use occurs, chemical goggles may be required.

Skin and Body Protection: Impervious body covering clothes, boots and neoprene apron.

Hygiene Measures: Safety shower and eye bath should be provided. Do not eat, drink or smoke until after-work showering and changing clothes.

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

Appearance: White granules
Odor: Mild chlorine-like
Boiling Point/Range: Not Applicable
Melting Point/Range: Not applicable
Flash Point: Not applicable
Auto-Ignition Temperature: Not self-ignitable

Vapour Pressure: Not applicable under standard Conditions Evaporation Rate (ether=1): Not applicable under standard conditions

Vapor Density: Not applicable under standard

Viscosity: Not applicable

Specific Gravity: 2.0 pH Factor: 5-7

Solubility: $26.25g/100g (26^{\circ}C)$ **Density:** Tap density = 0.974 g/mL

Pour density = 1.083 g/mL kg/L

Decomposition Temperature: Begins to lose 1 mole water at approx. 50°C; second mole water at 95°C:

Decomposes at 240-250°C.



Section 10 **STABILITY AND REACTIVITY**

Stability: Stable under normal conditions. Do not package in paper or cardboard. Begins to lose one mole of water at approximately 50°C.

Materials To Avoid: Organic materials, reducing agents, nitrogen containing materials, other oxidizers, acids, bases, oils, grease, sawdust, dry fire extinguishers containing monoammonium compounds.

Conditions To Avoid: Heating above decomposition temperature.

Hazardous Decomposition Products: Nitrogen trichloride, chlorine, carbon monoxide

Hazardous Polymerization: Will not occur.

Summary of Reactivity: Organic Peroxide: No

Pyroforic: No Water Reactive: No

SECTION 11 TOXICOLOGICAL INFORMATION

Acute Toxicity:

Rat oral LD501823 mg/kgRat dermal LD50>2000 mg/kgEye irritation (rabbit)Severe irritantDermal irritation (rabbit)Severe irritantDermal sensitization:Not a sensitizer

Immediately Dangerous To Life or Health (IDLH): No level has been established for the components or the product itself.

Chronic Toxicity: Chronic inhalation exposure may cause impairment of lung function and permanent lung damage.

Mutagenicity: Not mutagenic in five Salmonella strains with or without metabolic activation.

Carcinogenicity: Not classified by IARC, OSHA, EPA. Not included in NTP 11th Report on Carcinogens

Reproductive Toxicity: Sodium dichloroisocyanuric acid when given orally to pregnant mice from day 6 to day 15 of gestation, did not induce any significant teratogenic effects.

SECTION 12 **ECOLOGICAL INFORMATION**

Aquatic toxicity

- 96 Hour-LC50, Fish 0.22 mg/l (rainbow trout)

0.28 mg/l (bluegill sunfish)

- **48 Hour-LC50, Daphnia magna** 0.2 mg/l

Avian toxicity:

Oral LD50, Bobwhite quail
 Oral LD50, Mallard duck
 Dietary LC50, Mallard duck
 Dietary LC50, Bobwhite quail
 730 mg/kg
 3300 mg/kg
 >10,000 ppm
 >10,000 ppm



SECTION 13 DISPOSAL CONSIDERATIONS

Waste Disposal: Care must be taken to prevent environmental contamination from the use of this material. Observe all federal, state and local environmental regulations when disposing of this material.

SECTION 14 TRANSPORTATION INFORMATION

Non-Bulk Packaging (less than 400kg): Not Regulated under DOT unless transported by Vessel

DOT: UN Number: NOT REGULATED

UN Proper Shipping Name:NOT REGULATEDTransport Hazard Class:NOT REGULATEDPacking Group:NOT REGULATED

Bulk Packaging (more than 400kg) or Shipment by Vessel: Regulated

DOT: UN Number: 3077

UN Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Sodium dichloro-s-

triazinetrione dihydrate)

Transport Hazard Class: 9
Packing Group: |||

IMDG: UN Number: 3077

UN Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Sodium dichloro-s-

triazinetrione dihydrate)

Transport Hazard Class: 9
Packing Group: III
EmS Number 1: F-A
EmS Number 2: S-F

IATA: UN Number: 3077

UN Proper Shipping Name: Environmentally hazardous substances, solid, n.o.s. (Sodium dichloro-s-

triazinetrione dihydrate)

Transport Hazard Class: 9
Packing Group: |||

SECTION 15 **REGULATORY INFORMATION**

<u>USA</u>

All the components of this substance are listed on or are exempt from the inventory.

- SARA (311, 312): This product is categorized as an immediate health hazard, and fire and reactivity physical hazard
- Massachusetts Right-to-Know Hazardous Substances Listed
- Pennsylvania Right-to-Know Hazardous Substances Listed
- California Proposition 65 None of the ingredients is listed



- Waste Classifications: If this product becomes a waste, it does not meet the criteria of a hazardous waste as defined under 40 CFR 261, in that it does not exhibit the characteristics of hazardous waste of Subpart C, nor is it listed as a hazardous waste under Subpart D.
- Workplace Classification: This product is considered hazardous under the OSHA Hazard.

SECTION 16 OTHER INFORMATION

No representations or warranties, either expressed or implied, of merchant ability, fitness for a particular purpose or any other nature are made hereunder with respect to information or the product to which information refers.

Date: 2/22/2019 Phoenix Products Company