

| Product Name: | SPA FROG® Mineral Cartridge | | |
|----------------|-----------------------------|-----------|---|
| Revision Date: | October 1, 2016 | Revision: | 6 |
| Supersedes: | Rev 5, 05/21/2015 | | |

| 1. Identification | |
|---|--|
| Product Identifier: | SPA FROG® Mineral Cartridge |
| Other Means of Identification: | Calcium carbonate with silver chloride |
| Recommended Use: | Spa water conditioner |
| Supplier: | King Technology, Inc 530 11 th Ave S, Hopkins, MN 55343, USA Phone (952) 933-6118 |
| EPA Registration Number: | 53735-11 |
| Emergency Telephone: | Chemtrec (800) 424-9300 |
| 2. Hazards Identification | |
| GHS Classification: | Not classified |
| GHS Label Elements: – Signal Word: | None |
| – Pictograms: | None |
| - Hazard Statements: | None |
| - Precautionary Statements: | None |
| Unclassified Hazards: | None |
| Percentage of Ingredients with Unknown Toxicity: | Zero |

| 3. Composition / Information on Ingredients | | | |
|---|----------|----------------|-----------------|
| Components CAS | Weight % | ACGIH-TLV Data | OSHA (PEL) Data |
| Silver chloride 7783-90-6 | < 1% | N/A | N/A |
| Calcium carbonate 471-34-1 | >98% | 10mg/m3 | 15mg/m3 |

The specific percentages of composition have been withheld as trade secrets.

Eye contact:

Hold eye open and rinse slowly and gently for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. If irritation occurs, call a doctor for treatment advice.

Flush thoroughly with water.



| Product Name:SPA FRORevision Date:October 1Supersedes:Rev 5, 05/ | • | |
|---|--|--|
| Inhalation: | Move person to fresh air. If irritation occurs, call a doctor for treatment advice. | |
| Ingestion: | Ingestion of significant amounts is unlikely. If irritation occurs, call a doctor for treatment advice. | |
| Most Important Symptoms, Acute and Delayed: | No known symptoms. | |
| Immediate Medical Attention Required: | None required. | |
| 5. Fire-fighting Measures | | |
| Suitable Extinguishing Media | a: There are no unusual fire or explosion hazards with this material. This material is stable, non-hazardous. | |
| Unsuitable Extinguishing Media: | None known. | |
| Special Protective Equipmen and Precautions for Fire- fighters: | There are no unusual fire or explosion hazards with this material. This materia is stable, non-hazardous. | |
| Specific Hazards Arising Fro the Chemical: | m None known. | |
| 6. Accidental Release Measu | ires | |
| Personal Precautions: | Using appropriate equipment, contain spilled material. | |
| Methods for Cleaning Up: | Product is a non-hazardous solid. Sweep up material and dispose of as normal household waste. | |
| 7. Handling and Storage | | |
| Handling: | Product is non-hazardous. There are no specific handling requirements. | |
| Storage: | Keep this product in original closed container when not in use. Store in cool, dry, well ventilated area away from open flame. | |
| 8. Exposure Controls / Perso | nal Protection | |
| Exposure Limits: | See Section 3. | |
| Appropriate Engineering Controls: | None required. | |
| Personal protective equipme – Respiratory protection: | nt: None required. | |



| Product Name: Revision Date: Supersedes: | SPA FROG® M October 1, 201 Rev 5, 05/21/2 | | Revision: | 6 |
|---|---|---|-----------------|----------------------------------|
| - Hand protection | : | None required. | | |
| - Eye protection: | | None required. | | |
| – Skin and body p | rotection: | None required. | | |
| Hygiene measures | S: | None required. | | |
| Other Precautions | : | None required. | | |
| 9. Physical and Ch | emical Propert | ies | | |
| Appearance: Odor: Odor threshold: Melting point / ran Boiling point / ran Flash point: Evaporation rate: Flammability: Vapor pressure: Vapor density: Bulk density: Solubility in water Specific gravity: pH: Flammability limits Partition coefficien Auto-ignition temp | ge: : : s: 1t: | White granular mater Not available Not available | ial | |
| Decomposition ter Viscosity: | nperature: | Not available Not available | | |
| 10. Stability and R | eactivity | | | |
| Reactivity: | | Not reactive under no | ormal condition | ons. |
| Stability: | | This product is stable | under norm | al conditions |
| Incompatible mate | erials: | None known. | | |
| Conditions to avoi | d: | None known. | | |
| Hazardous decom products: | position | None known. | | |
| Possibility of haza reactions: | rdous | Hazardous polymeriz | ation will not | t occur under normal conditions. |



| Product Name: Revision Date: Supersedes: | SPA FROG® M October 1, 201 Rev 5, 05/21/2 | - | evision: | 6 |
|--|---|--|--------------|-------------------------------------|
| 44 Taviaslariasl | uformation | | | |
| 11. Toxicological I | nformation | | | |
| Acute toxicity: | | No data available | | |
| Carcinogenicity: | | This product is not listed | | |
| | | This product is not listed This product is not listed | | |
| | | This product is not listed | 1 as a carci | Inogen by OSHA |
| 12. Ecological Info | ormation | | | |
| | | No data available | | |
| 13. Disposal Cons | iderations | | | |
| Waste disposal: | | Product is a non-hazardo normal household waste | | Sweep up material and dispose of as |
| 14. Transportation | Information | | | |
| | | Not applicable | | |
| 15. Regulatory Info | ormation | | | |
| EPA FIFRA Inform | ation: | This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label: | | |
| | | CAUTION | | |
| 16. Other Informat | ion | | | |
| | | | | |

Date of preparation: October 1, 2016

Details of change from previous version:

Updated Corporate Logo

This information is given without a warranty or guarantee. No suggestions for use are intended or shall be construed as a recommendation to infringe any existing patents or violate any Federal, State, or local laws. Safe handling and use is the responsibility of the customer. Read the label before using this product. This information is true and accurate to the best of our knowledge.

| Prepared by: | King Technology, Inc. 530 11 th Ave S Hopkins, MN 55343 USA Phone (952) 933-6118 |
|--------------|--|
| | Phone (952) 933-6118 |

End of safety data sheet



This Safety Data Sheet contains information concerning the potential risks to those involved in handling, transporting and working with the material, as well as describing potential risks to the consumer and the environment. This information must be made available to those who may come into contact with the material or are responsible for the use of the material. This Safety Data Sheet is prepared in accordance with formatting described in the REACH Annex II Amendment (EU) 2015/830, and described in CLP Regulation (EC) No 1272/2008 and subsequent amendments.

Section 1. Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| Product Name: | SPA Frog Bromine Cartridge |
|----------------|--|
| Chemical Name: | 1-bromo-3-chloro-5,5-dimethylhydantoin |
| CAS Number: | 32718-18-6 |
| EINECS Number: | 251-171-5 |

1.2 Relevant identified uses of the substances or mixture and uses advised against

Only for use in the treatment of water used in spas, hot tubs and other venues meant for human bathing.

1.3 Details of the supplier of the safety data sheet

European Contact:

Golden Coast LTD Fishleigh Road Barnstaple, Devon EX31 3UA

+44 1271 378100

Manufacturer:

King Technology Inc, 530 11th Avenue South, Hopkins, MN 55343 U.S.A. sdsinfo@kingtechnology.com +1 952 933 6118

1.4 Emergency telephone number

Emergency telephone number: Chemtrec: +1 703 741 5970 (Operational 24 hours a day).



Section 2. Hazards Identification

SUBSTANCE:

2.1 Classification of the substance

| Classification according to Regulation (EC) No. 1272/2008. | Ox. Sol. 3; H272 May intensify fire; oxidizer Acute Tox 4; H302 Harmful if swallowed. Skin Corr. 1B; H314 Causes severe skin burns and eye damage. |
|---|---|
| | Skin Sens. 1; H317 May cause an allergic skin reaction. Aquatic Acute; 1 H400 Very toxic to aquatic life. EUH031; Contact with acids liberates toxic gases. |

2.2 Label elements

Regulation (EC) No 1272/2008:



Signal word Danger

Hazard Statements

| H272: | May intensify fire; oxidizer |
|--------|--|
| H302: | Harmful if swallowed. |
| H314: | Causes severe skin burns and eye damage. |
| H317: | May cause an allergic skin reaction. |
| H400: | Very toxic to aquatic life. |
| EUH031 | Contact with acids liberates toxic gas. |

Precautionary statements:

| Frecautionaly statements. | |
|---------------------------|---|
| P210: | Keep away from heat, hot surfaces, sparks, open flames, and other ignition sources. |
| | No smoking. |
| P220: | Keep/Store away from combustible materials. |
| P221: | Take any precaution to avoid mixing with combustibles. |
| P260: | Do not breathe dust/fumes/gas/mist/vapours/spray. |
| P273: | Avoid release to the environment. |
| P280: | Wear protective gloves/protective clothing/eye protection/face protection. |
| P301+P330+P331+P312: | IF SWALLOWED: Rinse mouth. DO NOT induce vomiting. Call a POISON CENTER |
| | or doctor/physician if you feel unwell. |
| P303+P361+P353: | IF ON SKIN (or hair): Immediately remove all contaminated clothing. Rinse skin with |
| | water/shower. |
| P304+P340: | IF INHALED: Remove person to fresh air and keep comfortable for breathing |
| P305+P351+P338: | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact |
| | lenses, if present and easy to do. Continue rinsing. |
| P310: | Immediately call Poison Control Center or doctor. |

Page 2 of 10 Version: 8 Date of Issue: October 2017 King Technology, Inc. 530 11th Avenue South • Hopkins, MN 55343 Phone (952) 933-6118 • Fax (952) 933-2206 www.kingtechnology.com



| P333+P313: | If skin irritation or rash occurs get medical advice/attention. |
|--------------|--|
| P362+P364: | Remove all contaminated clothing and thoroughly wash before reuse. |
| P370 + P378: | In case of fire: use foam, carbon dioxide, dry powder, or water fog to extinguish. |
| P391: | Collect spillage. |
| P405: | Store locked up. |

2.3 Other hazards

May form explosible dust-air mixture if disbursed.

| PBT / vPvB: | Not expected to be PBT/vPvB |
|-------------|-----------------------------|

Section 3. Composition/Information on ingredients.

| Name | CAS Number | EINECS Number | % Composition | Classification according to Regulation (EC) No. 1272/2008 | REACH Registration Number |
|--|------------|------------------|------------------|--|---------------------------------|
| 1-bromo-3-chloro- 5,5- dimethylhydantoin | 32718-18-6 | 251-171-5 | 96-99.5% | Ox. Sol. 3 H272 Acute Tox. 4 H302 Acute Tox. 4 H332 Skin Corr. 1B H314 Skin Sens. 1 H317 Aquatic Acute 1 H400 | N/A |

Section 4. First Aid Measures

4.1 Description of first aid measures

Inhalation

Remove victim to fresh air. Keep victim warm and at rest, preferably in a comfortable upright sitting position. Seek immediate medical attention.

Skin contact

Take off all contaminated clothing. Immediately flush the skin immediately with plenty of water; continue for 15-20 minutes. Seek medical attention if irritation persists after washing.

Accidental eye contact

Flush eyes with water thoroughly and continuously for at least 15 minutes. Keep eyes wide open while rinsing. Protect unharmed eye. If there are signs of irritation or other symptoms, seek medical attention.

Ingestion

Do not induce vomiting. Clean mouth with water and drink plenty of water afterwards. Do not give anything by mouth to an unconscious person. Seek medical attention immediately.



4.2 Most important symptoms and effects, both acute and delayed

| -Ocular | Corrosive. |
|----------------|--|
| -Dermal | Corrosive. Exposure to wet skin may cause burns. |
| -Inhalation | Irritant to upper respiratory tract. |
| -Ingestion | Harmful if swallowed. |
| -Sensitization | May cause skin sensitization. |

4.3 Indication of any immediate medical attention and special treatment needed

Please refer to the recommendations provided in Section 4.1.

Section 5. Firefighting Measures

5.1 Extinguishing media

Dry powder, carbon dioxide, or water spray. Water spray may be ineffective. In case of exothermic decomposition and appearance of smoke, water should be used to suppress it. Do not use dry chemical extinguisher containing ammonia compounds.

5.2 Special hazards arising from the substance or mixture

Fire may cause the formation of toxic gases. On combustion, hazardous products may include toxic gases/vapours/fumes of bromine or chlorine and oxides of carbon or nitrogen.

5.3 Advice for fire-fighters

Cool containers with water spray. In closed stores, provide fire fighters with self-contained breathing apparatus in positive pressure mode.

Section 6. Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Evacuate area. Use respirator with combined filter (inorganic gas and dust), gloves, chemical safety goggles and body covering clothes. If material is decomposing, use self-contained breathing apparatus and a fully encapsulated suit. Wash thoroughly after dealing with a spillage.

6.2 Environmental precautions

Provide ventilation and confine spill. Do not allow runoff to sewers. The treated water should not be discharged directly to surface waters.

6.3 Methods and material for containment and cleaning up

Collect any spilled material and reclaim or dispose of in sealed containers in licensed waste. Avoid generation and spreading of dust. Avoid contact with water while the product is in storage. If the product is released prior to use, it should be recovered dry prior to the use of water in the final clean up.



6.4 Reference to other sections

Refer to section 8 and/or Section 13 of SDS for personal protection details.

Section 7. Handling and Storage

7.1 Precautions for safe handling

Avoid handling product in a way that dust may be formed. If air contamination is above accepted levels, use an approved respirator. Do not use in a confined space without adequate ventilation and/or respirator. Avoid spillages and any contact with the skin or eyes.

7.2 Condition for safe storage, including any incompatibilities

Keep in original container. Keep container closed when not in use. Keep in a cool, dry, ventilated storage place. Protect from light, including direct sun rays. Avoid contact with any acids and combustible materials.

7.3 Specific end use(s)

The product is only for use in spas and hot tubs.

Section 8. Exposure Controls/Personal Protection

8.1 Control parameters

| Components | Weight % | ACGIH-TLV Data | UK (WEL) – TWA | Germany MAK (TRGS 900) data |
|--|----------|----------------|----------------|--------------------------------|
| 1-bromo-3-chloro- 5,5- dimethylhydantoin 32718-18-6 | 96-99.5% | Not determined | Not determined | Not determined |

| Manufacturer's TLV-TWA Recommendation | 0.01 mg/m ³ |
|---------------------------------------|------------------------|
| Manufacturer's Recommendation | 0.01 mg/m ³ |

8.2 Exposure controls

Appropriate Engineering Controls

Use appropriate engineering controls in the form of adequate ventilation to reduce air contamination to permissible exposure levels in the event that dust particles may migrate to the grooves and divots of the cartridge moulding during setting of the cartridge to the required setting.

Respiratory protection

All handling operations should take place in well ventilated areas, with the use of specific dust masks if required in non-ventilated areas in the event that dust particles may migrate to the grooves and divots of the cartridge moulding.

Hand protection

Suitable gloves should be worn. Suitable gloves to provide short-term protection from splashes include those made from rubber, neoprene or PVC. Gloves should be discarded and replaced if signs of degradation are observed.

Page 5 of 10 Version: 8 Date of Issue: October 2017 King Technology, Inc. 530 11th Avenue South • Hopkins, MN 55343 Phone (952) 933-6118 • Fax (952) 933-2206 www.kingtechnology.com



Eye protection

Wear approved safety goggles or face shield. Skin protection Wear appropriate protective clothing (overalls) to prevent any possibility of skin contact.

Thermal Hazards No information provided.

Environmental Exposure Controls

No additional information provided.

Section 9. Physical and Chemical Properties

9.1 Information on basic physical and chemical properties

| Appearance: | Off-white granular solid. |
|---|---|
| Odour: | Slight odour |
| Odour Threshold: | Lower = not applicable |
| | Upper = not applicable |
| pH: | 3.5 (diluted solution) |
| Melting point/range: | Not applicable (decomposes) |
| Boiling point/range: | Not applicable |
| Decomposition temperature: | 160°Ċ |
| Flash point: | Not applicable |
| Flammability/Explosion Limits: | Not available |
| Evaporation rate (ether = 1): | Not applicable under standard conditions |
| Vapour pressure: | 9.35x10(-3) Pa (25°C) |
| Vapour density: | Not applicable under standard conditions |
| Specific gravity: | 1.8-2.0 |
| Solubility: | |
| - Solubility in water: | 0.22 g/100ml at 25°C |
| Solubility in other solvents: | Benzene: 2.5 g/100ml at 25°C |
| Partition coefficient (n-octane/water) | Kow = <1 (pH 5-9) |
| Auto-ignition temperature: | Not available |
| Viscosity: | Not applicable |
| Explosive properties: | Dust may form a weak explosive mixture with air (class St1), but is |
| | considered insensitive to ignition from electrostatic discharges. |
| Oxidizing properties: | Expected to have oxidizing properties |
| Particle size: | Not available |
| | |

9.2 Other information No additional information.



Section 10. Stability and Reactivity

10.1 Reactivity

Combustible materials. Oxidizing agents. Bases.

10.2 Chemical stability

Stable under normal conditions.

10.3 Possibility of hazardous reactions

Will not polymerize. Contact with combustible materials may initiate decomposition of the material and emission of smoke.

10.4 Conditions to avoid

Avoid contact with oxidisers or reducing agents, acids or alkalis. Avoid contact with moisture during storage.

10.5 Incompatible materials

Bases. Oxidizing agents. Combustible organic materials.

10.6 Hazardous decomposition products

Toxic gases, vapours or fumes of hydrogen bromide, bromine, hydrogen chloride and chlorine. Oxides of carbon and nitrogen may also be formed.

Section 11. Toxicological Information

11.1 Information on toxicological effects

Acute Oral Toxicity:

Following oral administration of the substance to rats, the LD₅₀ was determined to be 929 mg/kg.

Acute Dermal Toxicity:

Following dermal application of the substance to the skin of rabbits, the LD₅₀ was determined to be >2000mg/kg.

Skin Corrosion/Irritation:

The substance is expected to cause burns.

Serious eye damage/irritation:

The substance is expected to cause burns.

Respiratory or skin sensitisation:

No information available. Based on available data the classification criteria are not met.

Carcinogenicity:

Not expected to be carcinogenic.

Germ cell Mutagenicity:

A reverse bacterial mutagenicity study (Ames test) indicated negative results, meaning the substance is not mutagenic.

Page 7 of 10 Version: 8 Date of Issue: October 2017 King Technology, Inc. 530 11th Avenue South • Hopkins, MN 55343 Phone (952) 933-6118 • Fax (952) 933-2206 www.kingtechnology.com



Reproductive toxicity:

No information available. Based on available data the classification criteria are not met.

STOT-single exposure:

No information available. Based on available data the classification criteria are not met.

STOT-repeated exposure:

No information available. Based on available data the classification criteria are not met.

Aspiration hazard:

No information available. Based on available data the classification criteria are not met.

Route of exposure:

The expected route of exposure is via the dermal route.

Symptoms related to the physical, chemical and toxicological characteristics:

Following exposure to SPA Frog Bromine Cartridge, burns to the eyes and skin may result. If SPA Frog Bromine Cartridge is ingested, damage may be caused to internal organs.

Section 12. Ecological Information

12.1 Toxicity

| Aquatic toxicity | |
|--|--|
| 96 hour – LC50, Fish | 1.2 mg/l (Eastern oyster, Acute flow through) |
| | 1.9 mg/l (Mysid shrimp, Acute flow through) |
| | 0.4 mg/l (Rainbow trout, Static) 0.46 mg/l (Bluegill sunfish, Static) |
| | 1.6 mg/l (Sheepshead minnow, Acute flow through) |
| 48 hour – LC50, Daphnia magna | 0.75 mg/l (Static) |
| | ······································ |
| Avian toxicity | |
| Oral LD50, Bobwhite quail | 1839 mg/l |
| Dietary LC50, Mallard duck | >5620 ppm |
| Dietary LC50, Bobwhite quail | >5620 ppm |
| 12.2 Persistence and degradability | |
| Degradable by hydrolysis. | |
| | |
| 12.3 Bioaccumulative potential | |
| Expected to be of low bioaccumulative pote | ential. |
| | |
| 12.4 Mobility in soil | |

No information provided.

12.5 Results of PBT and vPvB assessment

Since the substance is regulated under BPR, Regulation (EU) 528/2012, there is no PBT and vPvB assessment presented in the same format as per the REACH Regulation



12.6 Other adverse effects

Not applicable.

Section 13. Disposal Considerations

13.1 Waste treatment methods

Disposal of product: Dispose of in accordance with all waste regulations at a legal waste disposal facility. Do not reuse empty containers. Rinse thoroughly before discarding.

Disposal of packaging: Dispose of packaging with residue of product in the same manner as the product. Dispose of in accordance with all waste regulations at a legal waste disposal facility.

Waste Code: EAL 200129

Section 14. Transport Information

14.1 UN number UN3085

14.2 UN proper shipping name Oxidising Solid, Corrosive, N.O.S. (contains 1-bromo-3-chlor-5, 5-dimethylhydantoin)

14.3 Transport hazard class(es) 5.1+8

14.4 Packing group

14.5 Environmental hazards Yes

14.6 Special precautions for user No additional information

14.7 Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

No additional information provided.

Section 15. Regulatory Information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture No information provided. Going through active BPR regulation registration process.

15.2 Chemical safety assessment

Not applicable as substance is being regulated in accordance with BPR 528/2012.

15.3 Use Biocides safely



Section 16. Other Information

Other information

This safety data sheet is prepared in accordance with REACH Annex II Amendment (EU) 2015/830.

H272 - May intensify fire; oxidizer in the classification of the substance

- H302 Harmful if swallowed
- H314 Causes severe skin burns and eye damage

H317 – May cause an allergic skin reaction

H400 – Very toxic to aquatic life

EUH031 – Contact with acids liberates toxic gas

Note: The regulatory information given above only indicates the principal regulations specifically applicable to the product described in the safety data sheet. The user's attention is drawn to the possible existence of additional provisions which complete these regulations. Refer to all applicable national, international and local regulations or provisions.

Details of change from previous version:

- New revision number
- Section 2.1: Added "Ox. Sol. H272: May intensify fire; oxidizer in the classification of the substance."
- Section 2:2: Added oxidizing pictogram and the following phrases:
 - Ox. Sol. H272: May intensify fire; oxidizer in the classification of the substance.
 - P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
 - o P220: Keep/Store away from combustible materials.
 - P221: Take any precaution to avoid mixing with combustibles.
 - P370 + P378: In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish
- Section 3: updated to include Ox. Sol H272
- Section 9: updated to include Odour Threshold
- Section 14.2: added "(contains 1-bromo-3-chlor-5, 5-dimethylhydantoin)"
- Section 16: updated to include Ox. Sol H272

List of definitions:

BPR: Biocidal Product Regulation
CAS number: Chemical Abstracts Service Registry number
EEC: European Economic Community
EC: European Commission/Community
EC₅₀: Half maximal effective concentration.
EINECS: European Inventory of Existing Commercial Chemical Substances.
LC₅₀: Lethal Concentration at which 50% of the population tested died.
PBT: Persistent Bioaccumulative Toxic
Spart Data Shoet

SDS: Safety Data Sheet

vPvB: very Persistent very Bioaccumulative.

King Technology, Inc. 530 11th Avenue South • Hopkins, MN 55343 Phone (952) 933-6118 • Fax (952) 933-2206 www.kingtechnology.com

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies[™] Shock Treatment

Revision date

10-10-16

This SDS adheres to the standards and regulatory requirements of the United States and may not meet the regulatory requirements in other countries.

Product ID: Chemical Name and Synonyms: Chemical Formula: Chemical Family: Product Use: Shock Treatment Potassium Monopersulfate Compound Proprietary Peroxygen Salt Safe, Effective, Shock Oxidizer Treatment

Supplier: Oreq Corporation 42306 Remington Ave. Temecula, CA 92532 951-296-5076 Distributor: Carefree Stuff 5220 4th Street, Ste 2 Irwindale, CA 91706 626-337-0611

Emergency Telephone#

CHEMTREC 800-424-9300

Product hazard category

| Acute toxicity (Oral) | Category 4 |
|-----------------------------------|-------------|
| Skin corrosion | Category 1B |
| Serious eye damage/eye irritation | Category 1 |

SIGNAL WORD:

HAZARD PICTOGRAMS:

DANGER



| Hazardous prevention: measures | P260- Do not breathe dust or mist. P264- Wash skin thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/ protective clothing/ eye protection/ face protection. P301+P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell. P301+330+331- IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. P303+361+353- IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower. P304+312- IF INHALED: Remove victim to fresh air and keep comfortable for breathing. P305+351+338- IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P307+311- Immediately call a POISON CENTER or doctor/ physician. P362+364- Take off contaminated clothing and wash it before reuse. P405- Store locked up. P501- Dispose of contents/ container to an approved waste disposal plant. |
|-----------------------------------|--|
| | |

Specifically Designed forMineral Treated Spas

Product name

Mineral Buddies[™] Shock Treatment

Revision date

10-10-16

| COMPONENT | % | CAS# |
|--------------------------|--------|-------------|
| Potassium Monopersulfate | 32.18% | 70693-62-8 |
| Inert ingredients | 67.82% | Proprietary |

The exact formulation is being withheld as a trade secret.

While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.12009i), all known hazards are clearly communicated within this document.

| General advice : | When symptoms persist or in all cases of doubt seek medical advice. | | | | |
|---|---|---|--|--|--|
| Inhalation : | respiration, pref | ove person to fresh air. If person is not breathing, call 911 or ambulance, then give artificial spiration, preferably by mouth to mouth, if possible. Call a poison control center or doctor further treatment advice. | | | |
| Skin contact : | minutes. Call a | ake off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 inutes. Call a poison control center or doctore for treatment advice. nmediately. Wash contaminated clothing before re-use. | | | |
| Eye contact : | lenses, if preser | old Eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact enses, if present after the first 5 minutes, then continue rinsing eye. Call a poison control enter or doctor for treatment advice. | | | |
| Ingestion : | Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do NOT induce vomiting. Do not give anything by mouth to an unconscious person. | | | | |
| Most important: symptoms/effects, acute and delayed | No applicable d | ata available. | | | |
| Protection of first-aiders: | No applicable d | ata available. | | | |
| Notes to physician : | No applicable d | ata available. | | | |
| Suitable extinguishing media | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. | | | |
| Unsuitable extinguishing media: | | Carbon dioxide (CO2) | | | |
| Specific hazards : | | The product itself does not burn. Hazardous decomposition products Oxygen, Sulphur dioxide, Sulfur trioxide | | | |
| Special protective equipment for firefighters: | | Wear self-contained breathing apparatus and protective suit. | | | |
| Further information : | | No applicable data available. | | | |

Specifically Designed forMineral Treated Spas

Product name

Mineral Buddies™ Shock Treatment

Revision date

10-10-16

NOTE: Review FIRE FIGHTING MEASURES and HANDLING (PERSONNEL) sections before proceeding with clean-up. Use appropriate PERSONAL PROTECTIVE EQUIPMENT during clean-up.

| Safeguards (Personnel) | : Evacuate personnel to safe areas. Use personal protective equipment. | |
|--|---|--|
| Environmental precauti | ons : Try to prevent the material from entering drains or water courses. | |
| Spill Cleanup: | Sweep up and shovel into suitable containers for disposal. Avoid dust formation. After cleaning, flush away traces with water. | |
| Accidental Release Mea | asures: Try to prevent the material from entering drains or water courses. Dispose of in accordance with local regulations. | |
| Handling: | Use only in well-ventilated areas. Do not breathe dust. Avoid dust formation in confined areas. Avoid contact with skin and eyes. Keep away from heat and flame. Wash hands before breaks and immediately after handling the product. Handle in accordance with good industrial hygiene and safety practice | |
| Handling (Physical Aspects): Dust explosion class: | No applicable data available. No applicable data available. | |
| Storage: | Keep in a dry, cool and well-ventilated place. Protect from contamination. Store in original container. Keep away from: Combustible material Never allow product to get in contact with water during storage. Stable under recommended storage conditions. | |
| Storage period: Storage temperature: | No applicable data available. No applicable data available | |
| Engineering controls: | Ensure adequate ventilation. | |
| Personal protective equipme Respiratory protection: | nt When workers are facing concentrations above the exposure limit they must use appropriate certified respirators. | |
| Hand protection: Eye protection : Skin and body protection: | Material: Impervious gloves Wear safety glasses or coverall chemical splash goggles. Where there is potential for skin contact, have available and wear as appropriate, impervious gloves, apron, pants, jacket, hood and boots. Remove and wash contaminated clothing before re-use. | |
| Protective measures: | When using do not eat or drink. Do not breathe dust. | |
| Exposure Guidelines Exposure Limit Value Potassium Monopersulfate- | s | |
| Pentapotassium bis(peroxymonosulphate) bis(sulphate) AEL * (DUPONT) 1 mg/m3 15 minute TWA | | |

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies[™] Shock Treatment

Revision date

10-10-16

Dipotassium peroxodisulphate TLV (ACGIH) 0.1 mg/m3 TWA as persulfate Potassium sulfate AEL * (DUPONT) 10 mg/m3 8 hr. TWA

* AEL is DuPont's Acceptable Exposure Limit. Where governmentally imposed occupational exposure limits which are lower than the AEL are in effect, such limits shall take precedence.

Appearance (Physical state, form, colour, etc.)

| Form | : Solid form, granular |
|--|---|
| Color | : white |
| Odor | : none |
| Odor threshold | : No applicable data available. |
| рH | : 2.1 at 30 g/l 20 °C (68 °F) |
| Melting point/freezing point | : Melting point |
| 511 511 511 | Decomposes before melting. |
| Boiling point/boiling range | : Boiling point |
| 510 000 500 50 | Not applicable |
| Flash point | : does not flash |
| Evaporation rate | : No applicable data available. |
| Flammability (solid, gas) | : The product itself does not burn, but it is slightly oxidising (active oxygen |
| , (· · · · , 3···) | content ca. 2%). |
| | The product is not flammable. |
| Upper explosion limit | : No applicable data available. |
| Lower explosion limit | : No applicable data available. |
| Vapor pressure | : < 0.0000017 hPa |
| Vapour density | : No applicable data available. |
| Density | : No applicable data available. |
| Specific gravity (Relative | : 2.35 at 20 °C (68 °F) |
| density) | 12.00 0 (00 1) |
| Bulk density | : 1,100 - 1,400 kg/m3 |
| Water solubility | : 297 - 357 g/l at 22 °C (72 °F) |
| Solubility(ies) | : No applicable data available. |
| Partition coefficient: n- | : No applicable data available. |
| octanol/water | |
| Ignition temperature | : no data available |
| | No applicable data available. |
| • | : No applicable data available. |
| Viscosity | : No applicable data available. |
| Oxidizing Substance | : The substance or mixture is not classified as oxidizing. |
| entre de la caracteria de | |
| | |
| | |

| Reactivity: Stability: | Stable under recommended storage conditions. Stable under normal conditions. |
|------------------------------------|--|
| Possibility of hazardous reactions | No applicable data available. |

| Product name | | Mineral Buddies™ Shock Treatment | |
|--|---|--|--|
| Revision date | | 10-10-16 | |
| Conditions to avoid: | : | Temperature > 50 °C (> 122 °F) Avoid extreme heat. | |
| Incompatibility: | | Halogenated compounds Cyanides, Heavy metal salts | |
| Hazardous decompo | osition products: | Oxygen, Sulfur dioxide, Sulfur trioxide products | |
| Potassium Monoper | sulfate | | |
| Monopersulfate comp | ound | | |
| Inhalation 4 Skin irritation Eye irritation Sensitisation | n:): | > 5 mg/l, rat Species: rabbit, Causes burns. Species: rabbit, Severe eye irritation Species: guinea pig, Did not cause sensitization on laboratory animals. | |
| | | May cause sensitization of susceptible persons by skin contact or by inhalation of dust. | |
| Pentapotassium bis(p | eroxymonosulpha | ate) bis(sulphate) | |
| Dermal LD50 Oral LD50: Repeated do | | > 11,000 mg/kg, rabbit 200 - 2,000 mg/kg, rat Gastrointestinal ulceration Internal bleeding Inhalation Eyes, corneal damage, Reversible Oral | |
| Mutagenicity: | Stomach, Pathologic changes Did not cause genetic damage in cultured bacterial cells., Tests on mammalian cell cultures mutagenic effects., Evidence suggests this substance does not cause genetic damage in ani | | |
| Teratogenicity: | | showed effects on embryo-fetal development at levels equal to or above those | |
| Dipotassium peroxodi Dermal LD50 | • | > 10,000 mg/kg , Rabbit | |
| Oral LD50: Repeated do | se toxicity: | 1,130 mg/kg , Rat Oral Rat- NOAEL: 131.5 mg/kgMethod: OECD Test Guideline 407 No toxicologically significant effects were found. | |
| Carcinogenie | city: | Not classifiable as a human carcinogen. Animal testing did not show any carcinogenic effects. Information given is based o data obtained from similar substances. | |
| Mutagenicity: | | Animal testing did not show any mutagenic effects. Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Information given is base on data obtained from similar substances. | |
| Reproductive toxicit | y: | No toxicity to reproduction Animal testing showed no reproductive toxicity. Information given is based on data obtained from similar substances. | |
| Teratogenicity: | | Animal testing showed no developmental toxicity. Information given is based on data obtained from similar substances. | |
| Tetra[carbonato(2-)]d | ihydroxypentama | gnesium | |
| Oral LD50: | | > 2,000 mg/kg , Rat | |

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies[™] Shock Treatment

Revision date

10-10-16

| | Information given is based on data obtained from similar substances. |
|-------------------------|---|
| Repeated dose toxicity: | Oral, Rat - 90 d |
| | NOAEL: 1,531 mg/kgMethod: OECD Test Guideline 408 |
| | No toxicologically significant effects were found., Information given is based on data obtained from similar substances. |
| Carcinogenicity: | Not classifiable as a human carcinogen. Information given is based on data obtained from similar substances. Animal testing did not show any carcinogenic effects. |
| Mutagenicity: | Tests on bacterial or mammalian cell cultures did not show mutagenic effects. Evidence suggests this substance does not cause genetic damage in animals. Information given is based on data obtained from similar substances. |
| Reproductive toxicity: | No toxicity to reproduction Information given is based on data obtained from similar substances. Animal testing showed no reproductive toxicity. |
| Teratogenicity: | Information given is based on data obtained from similar substances. Animal testing showed no developmental toxicity. |

Carcinogenicity

None of the components present in this material at concentrations equal to or greater than 0.1% are listed by IARC, NTP, or OSHA, as a carcinogen.

Potassium Monopersulfate

Aquatic Toxicity

Pentapotassium bis(peroxymonosulphate) bis(sulphate)

| 96 h LC50: | Cyprinodon variegatus (sheepshead minnow) 1.09 mg/l Directive 67/548/EEC, Annex V,C.1. |
|-------------|--|
| 96 h ErC50: | Selenastrum capricornutum (green algae) > 1 mg/l OECD Test Guideline 201 |
| 72 h NOEC: | Selenastrum capricornutum (green algae) 0.5 mg/l |
| 48 h EC50: | Daphnia magna (Water flea) 3.5 mg/I OECD Test Guideline 202 |
| 37 d: | NOEC Cyprinodon variegatus (sheepshead minnow) 0.222 mg/l |
| 28 d: | NOEC Americamysis bahia (mysid shrimp) 0.267 mg/l |

Dipotassium peroxodisulphate

| 96 h LC50: | Oncorhynchus mykiss (rainbow trout) 76.3 mg/I US EPA Test Guideline OPP 72-1 |
|-------------|---|
| 72 h EbC50: | Information given is based on data obtained from similar substances. Pseudokirchneriella subcapitata (green algae) 83.7 mg/l OECD Test Guideline 201 |
| | Information given is based on data obtained from similar substances. |
| 72 h NOEC: | Pseudokirchneriella subcapitata (green algae) 39.2 mg/l OECD Test Guideline 201 |
| | Information given is based on data obtained from similar substances. |
| 48 h EC50: | Daphnia magna (Water flea) 120 mg/l US EPA Test Guideline OPP 72-2 |
| | Information given is based on data obtained from similar substances. |

Tetra[carbonato(2-)]dihydroxypentamagnesium

96 h LC50: Pimephales promelas (fathead minnow) 2,120 mg/l

Specifically Designed forMineral Treated Spas

Product name

Mineral Buddies™ Shock Treatment

Revision date

10-10-16

| 72 h EC50: | Information given is based on data obtained from similar substances. Desmodesmus subspicatus (green algae) > 100 mg/l OECD Test Guideline 201 | |
|---|--|--|
| 72 h NOEC: | Information given is based on data obtained from similar substances. Desmodesmus subspicatus (green algae) 100 mg/l OECD Test Guideline 201 Information given is based on data obtained from similar substances. | |
| 48 h EC50: | Daphnia magna (Water flea) 140 mg/l Information given is based on data obtained from similar substances. | |
| Physico-chemical removability: | hydrolyses | |
| Environmental Fate | | |
| Dipotassium peroxodisulphate Biodegradability: | Readily biodegradable. | |
| Tetra[carbonato(2-)]dihydroxyp Biodegradability: | pentamagnesium The methods for determining biodegradability are not applicable to inorganic substances | |
| Waste Disposal Methods: Contaminated Packaging: | Dispose of in accordance with local regulations. If recycling is not practicable, dispose of in compliance with local regulations. | |
| DOT | UN-Number: 3260 Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound) Class: 8 Packaging group: II Labeling No.: 8 | |
| IATA_C | UN number: 3260 Proper shipping name: Corrosive solid, acidic, inorganic, n.o.s. (Monopersulfate Compound,) Class: 8 Packaging group: II Labeling No.: 8 | |
| IMDG | UN number: 3260 Proper shipping name: CORROSIVE SOLID, ACIDIC, INORGANIC, N.O.S. (Monopersulfate Compound,) Class: 8 Packaging group: II Labeling No.: 8 | |

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies[™] Shock Treatment

Revision date

10-10-16

| TSCA Other regulations SARA 313 Regulated Chemical(s) PA Right to Know Regulated Chemical(s) | On the inventory, or in compliance with the inventory Active Ingredient in this composition is POTASSIUMPEROXYMONOSULFATE, CAS. No. 10058-23-8, Concentration: 43-47% (Typical 45%) Active ingredient may also be described by the synonym POTASSIUM MONOPERSULFATE. This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313. Substances on the Pennsylvania Hazardous Substances List present at a concentration of 1% or more (0.01% for Special Hazardous Substances): Dipotassium peroxodisulphate |
|---|--|
| NJ Right to Know Regulated Chemical(s) | : Substances on the New Jersey Workplace Hazardous Substance List present at a concentration of 1% or more (0.1% for substances identified as carcinogens, mutagens or teratogens): Dipotassium peroxodisulphate, |
| Title III hazard Classification | Potassium hydrogensulphate : Acute Health Hazard: Yes Chronic Health Hazard: No Fire: No Reactivity/Physical hazard: No Pressure: No |
| California Prop. 65 : | Chemicals known to the State of California to cause cancer, birth defects or any other harm: none known |

DATE OF PREPARATION 10-10-2016

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name Revision date

Mineral Buddies[™] pH & Alk Up

10-10-16

| Section 1 Identifica | ation | | |
|---|---|---------------------------|---|
| Product ID: | pH Plus | | |
| Chemical Name: Synonyms: Chemical Formula: CAS Number: Product Use: | Sodium Carbonate, Anhydrou Sodium carbonate; Carbonic a NA2CO3 497-19-8 Raises pH, Prevents Corros | acid, disodium salt; Diso | odium carbonate |
| Supplier: Emergency Telephone# | Oreq Corporation 42306 Remington Ave. Temecula, CA 92590 951-296-5076 Chemtrec: 1-800-424-9300 | Distributor: | Carefree Stuff 5220 4 th Street, Ste 2 Irwindale, CA 91702 626-337-0611 |

Section 2 Hazards identification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 FR 1910.1200)

GHS CLASSIFICATION:

Serious eye damage/eye irritation- Category 2

GHS SIGNAL WORD:

WARNING

HAZARD PICTOGRAMS:

HAZARD STATEMENT(S):

H319 - Causes serious eye irritation

PRECAUTIONARY STATEMENT(S)- Prevention:

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear eye protection/ face protection

PRECAUTIONARY STATEMENT(S)- Response:

P305 + P351 + P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing P337 + P313 - If eye irritation persists: Get medical advice/ attention

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

May be harmful if swallowed

Section 3 Composition / Information on ingredients

Ingredients

| Chemical Name | | CAS-No | Weight % |
|------------------|--------|----------|----------|
| Sodium carbonate | | 497-19-8 | 100 |
| Formula | NA2CO3 | | |

Chemical Family Alkali salt

Specifically Designed forMineral Treated Spas

Product name Revision date

Mineral Buddies[™] pH & Alk Up

10-10-16

Section 4 First - aid measures

- **Eye contact** Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. If symptoms persist, call a physician.
- **Skin contact** Wash off with warm water and soap. Get medical attention if irritation develops and persists. Remove and wash contaminated clothing before re-use.

Inhalation Remove person to fresh air. If signs/symptoms continue, get medical attention.

Ingestion Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.

Most important symptoms and effects, both acute and delayed:

Causes serious eye damage / eye irritation.

Indication of immediate medical attention and special treatment needed, if necessary:

Treat symptomatically

Section 5 Fire - fighting measures

| Suitable extinguishing media | | Use extinguishing agent suitable for type of surrounding fire. | | |
|---|--|--|--|--|
| Specific Hazards Arising from the Chemical | | Non-combustible, substance itself does not burn but may decompose upon heating to produce corrosive and/or toxic fumes. | | |
| Hazardous combustio | n products | Fumes of sodium oxide. Carbon oxides (COx) | | |
| Explosion Data Sensitivity to Mechanical Impact Sensitivity to Static Discharge | | Not sensitive. Not sensitive. | | |
| Protective equipment precautions for firefig | | As in any fire, wear self-contained breathing apparatus pressure demand MSHA/NIOSH (approved or equivalent) and full protective gear | | |
| Section 6 Accidental release measures | | | | |
| Personal precautions | conal precautions Avoid dust formation. Sweep up to prevent slipping hazard. | | | |
| Other | | her clean-up instructions, call Emergency Hotline number listed in Section 1 "Product mpany Identification" above. | | |
| Environmental Precau | cautions Do not flush into surface water or sanitary sewer system. | | | |
| Methods for containm | r containment Prevent large quantities of this product from contacting vegetation or waterways. Co with plastic sheet to prevent spreading. Pick up and transfer to properly labeled cont Keep in suitable and closed containers for disposal. | | | |
| Methods for cleaning | | Pick up and transfer to properly labeled containers. Keep in suitable and closed containers for disposal. Dispose of waste as indicated in Section 13. | | |
| Section 7 Han | dling and sto | orage | | |
| Handling | Use air conveying/mechanical systems for bulk transfer to storage. Provide appropriate exhaust ventilation at places where dust is formed. In case of insufficient ventilation, wear suitable respiratory equipment if release of airborne dust is expected. | | | |
| | | l container. Keep in properly labeled containers. Keep containers tightly closed. um. Powdered aluminum. Acids | | |
| | | | | |

Specifically Designed forMineral Treated Spas

Product name Revision date

Mineral Buddies™ pH & Alk Up

10-10-16

Section 8 Exposure controls / personal protection

Control parameters

This product, as supplied, does not contain any hazardous materials with occupational exposure limits established by the region specific regulatory bodies Local nuisance dust standards apply.

Appropriate engineering controls

Engineering measures Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction.

Individual protection measures, such as personal protective equipment

| Eye/Face Protection | Tightly fitting safety goggles. |
|-------------------------------|--|
| Skin and Body Protection | Wear suitable protective clothing. Protective shoes or boots. |
| Hand Protection | Nitrile rubber, Neoprene gloves |
| Respiratory Protection | In case of inadequate ventilation wear respiratory protection. |
| Hygiene measures | Handle in accordance with good industrial hygiene and safety practice. |
| General information | These recommendations apply to the product as supplied |

Section 9 Physical and chemical properties

| Appearance | Granules |
|--|---|
| Color | White |
| Physical state | Solid |
| Odor | odorless |
| Odor Threshold | not applicable |
| рН | 11.4 (as aqueous solution) |
| Melting Point/Range | 851 °C |
| Freezing point | No information available |
| Boiling Point/Range | not applicable |
| Flash Point | Not combustible |
| Evaporation rate | Not applicable |
| Flammable (solid, gas) | Non-combustible, substance itself does not burn but may decompose upon heating to |
| | produce corrosive and/or toxic fumes |
| Flammability Limit in Air | |
| | No information available |
| Lower flammability limit: | |
| Vapor pressure | No information available |
| Vapor density | No information available |
| Density | No information available |
| Specific gravity | |
| Water solubility | 212.5 g/L @ 20 °C |
| Solubility in other solvents Partition coefficient: | No information available |
| | Not applicable Not combustible |
| Autoignition Temperature | |
| Decomposition Temperature | 400 C |

Specifically Designed for Mineral Treated Spas

Product name Mineral Buddies™ pH & Alk Up

Revision date

10-10-16

Section 9 Physical and chemical properties (Continued)

| Viscosity, dynamicNoExplosive propertiesNoOxidizing propertiesNoMolecular Weight10Bulk density0.3 | o information available o information available ot explosive on-oxidizing 05.99 86 - 1.12 g/cm ³ (Dense grades) 0.70 - 0.90 g/cm ³ (Light Grades) bar m/s |
|---|---|
|---|---|

Section 10 Stability and reactivity

| Reactivity | None under normal use conditions. |
|------------------------------------|---|
| Chemical Stability | Stable. Decomposes by reaction with strong acid. |
| Possibility of Hazardous Reactions | None under normal processing. |
| Hazardous polymerization | Hazardous polymerization does not occur. |
| Conditions to avoid | Exposure to air or moisture over prolonged periods. |
| Incompatible materials | Aluminium. Powdered aluminum. Acids. |
| Hazardous Decomposition Products | Sodium oxides. Carbon oxides (COx). |
| | |

Section 11 Toxicological information

Product Information

| LD50 Oral | 2,800 mg/kg (rat) |
|-----------------|--|
| LD50 Dermal | > 2,000 mg/kg (rabbit) |
| LC50 Inhalation | 2.3 mg/L (rat) |
| Eye Contact | Irritating to eyes. |
| Skin Contact | Non-irritating |
| Sensitization | Patch test on human volunteers did not demonstrate sensitization properties. |

Information on toxicological effects

Symptoms No information available.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

| Chronic toxicity | No known effect. |
|--------------------------|---|
| Mutagenicity | No information available |
| Carcinogenicity | Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH). |
| Reproductive toxicity | No information available. |
| STOT - single exposure | No information available. |
| STOT - repeated exposure | No information available. |
| Aspiration hazard | No information available. |

Specifically Designed forMineral Treated Spas

Product name Revision date

Mineral Buddies[™] pH & Alk Up

10-10-16

Section 12 Ecological information

Ecotoxicity

| Sodium carbonate (497-19-8) | | | | |
|-----------------------------|-----------|------------------|---------|-------|
| Active Ingredient(s) | Duration | Species | Value | Units |
| Sodium Carbonate | 96 h LC50 | Bluegill sunfish | 300 | mg/L |
| Sodium Carbonate | 48 h EC50 | Ceriodaphnia | 200-227 | mg/L |

| Persistence and degradability | Biodegradability does not pertain to inorganic substances |
|-------------------------------|---|
| Bioaccumulation | Does not bioaccumulate. |
| Mobility | Dissociates into ions. |
| Other adverse effects | None known |

Section 13 Disposal considerations

| Waste disposal methods | This material, as supplied, is not a hazardous waste according to Federal regulations (40 |
|------------------------|---|
| | CFR 261). Dispose of in accordance with local regulations. |

Contaminated Packaging Dispose of in accordance with local regulations.

| Section 14 | Transport information |
|------------|-----------------------|
|------------|-----------------------|

| DOT | Not regulated |
|-----------|---------------|
| TDG | Not regulated |
| ICAO/IATA | Not regulated |
| IMDG/IMO | Not regulated |

Section 15 Regulatory information

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute Health Hazard | YES |
|-----------------------------------|-----|
| Chronic Health Hazard | NO |
| Fire Hazard | NO |
| Sudden Release of Pressure Hazard | NO |
| Reactive Hazard | NO |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42)

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies[™] pH & Alk Up

Revision date

10-10-16

Regulatory information (Continued) Section 15

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

US State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations

International Inventories

| COMPONENT | TSCA (United States) | DSL (Canada) | EINECS/ELI NCS (Europe) | ENCS (Japan) | China (IECSC) | KECL (Korea) | PICCS (Philippines) | AICS (Australia) |
|------------------------------------|----------------------------|-----------------|-------------------------------|-----------------|------------------|-----------------|------------------------|---------------------|
| Sodium Carbonate 497-19-8 (100) | X | X | X | X | X | X | X | X |

| International Regulations Mexico – Grade | Moderate risk, Grade 2 |
|---|--|
| WHMIS Hazard Class | D2B Toxic materials, Eye irritation Class E: Corrosive to aluminum. Not corrosive to animal skin or carbon steel. |

Section 16 Other information

| NFPA Health Hazard 2 | | Flammability 0 | Stability 0 | Special Hazards - |
|----------------------|------------------|-------------------------|--------------------------|----------------------|
| HMIS | Health Hazard 2 | Flammability 0 | Stability 0 | Special Protection X |
| | S Ratings Legend | Severe - 4: Serious - 3 | · Moderate – 2· Slight – | 1. Minimal – 0 |

Severe = 4; Serious = 3; Moderate = 2; Slight = 1; Minimal = 0NFPA/HMIS Ratings Legend

DATE OF PREPARATION 5-15-15

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

| Product name Revision date | Mineral Buddies™ pH 8 10-10-16 | Alk Down | | |
|--|---|--------------|---|--|
| Section 1 Identificat | ion | | | |
| Product ID: Synonyms: Product Use: | pH & Alk Down Sodium bisulfate, anhydrous. Nitre cake, GBS, Sodium hydrogen sulphate Lowers pH, Prevents Scaling | | | |
| Supplier: | Oreq Corporation 42306 Remington Ave. Temecula, CA 92590 951-296-5076 | Distributor: | Carefree Stuff 5220 4 th Street, Ste 2 Irwindale, CA 91702 626-337-0611 | |
| Emergency Phone# | CHEMTREC, U.S.: 1-800 | -424-9300 | | |
| Section 2 Hazards in | lentification | | | |
| OSHA/HCS status : | This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200). SERIOUS EYE DAMAGE/ EYE IRRITATION - Category 1 | | | |
| Classification of the substance or mixture: | | | | |
| GHS label elements Hazard pictograms: | | | | |
| Signal word: Hazard statements: | Danger H318 - Causes serious eye damage. | | | |
| Precautionary statemen | ts | | | |
| Prevention : | P280 - Wear eye or face protection. | | | |
| Response : | P264 - Wash hands thoroughly after handling. P305 + P351 + P338 + P310 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. | | | |
| Storage : Disposal : Hazards not otherwise Classified | Immediately call a POISON CENTER or p Not applicable. Not applicable. : None known. | mysician. | | |
| Classificu | | | | |
| Section 3 Compositi | on / Information on ingredients | | | |
| United States - Mexico | | | | |

| Name | % | CAS number |
|------------------|-----|------------|
| Sodium bisulfate | >90 | 7681-38-1 |

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section

Specifically Designed forMineral Treated Spas

Product name

Revision date

Mineral Buddies™ pH & Alk Down

10-10-16

| Section 4 First - aid | Section 4 First - aid measures | | | | |
|--|--|--|--|--|--|
| Description of necessary f | irst aid measures | | | | |
| Eye contact Inhalation | Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. If redness or irritation persists, get prompt medical attention. Move exposed person to fresh air. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If irritation or discomfort persists, seek medical attention. | | | | |
| Skin contact | : In case of contact, immediately flush skin with plenty of water for at least 20 minutes. If skin irritation occurs, seek medical attention. | | | | |
| Ingestion | : Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Call medical doctor or poison control center immediately. | | | | |
| Most important symptoms/e | ffects. acute and delayed | | | | |
| Potential acute health effects | <u>S</u> | | | | |
| Eye contact | : Causes serious eye damage. | | | | |
| Inhalation | : Inhalation of dust may irritate nose, throat and/or lungs. | | | | |
| Skin contact | : Prolonged exposure may cause skin irritation. | | | | |
| Ingestion | : Small amounts (tablespoonful) swallowed are not likely to cause injury; however, swallowing large amounts may irritate or burn digestive tract. | | | | |
| Over-exposure signs/sympto | oms | | | | |
| Eye contact | : Adverse symptoms may include the following: pain watering redness | | | | |
| Inhalation | :No known significant effects or critical hazards. | | | | |
| Skin contact | Adverse symptoms may include the following: pain or irritation redness blistering may occur if repeated exposure | | | | |
| Ingestion | :Adverse symptoms may include the following: stomach pains | | | | |
| Indication of immediate med | ical attention and special treatment needed. if necessary | | | | |
| Notes to physician | : Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled. | | | | |
| Specific treatments | : No specific treatment. | | | | |
| Protection of first-aiders | : No action shall be taken involving any personal risk or without suitable training. | | | | |
| See toxicological information (Section 11) | | | | | |

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies™ pH & Alk Down

Revision date

10-10-16

Section 5 Fire - fighting measures

| Extinguishing media Suitable Extinquishing Media | : Use an extinguishing agent suitable for the surrounding fire. |
|--|---|
| Unsuitable Extinquishing Media | : None known. |
| Specific hazards arising from the chemical | : No specific fire or explosion hazard. |
| Hazardous thermal decomposition products | : Decomposition products may include the following materials: Sulfur oxides |
| Special protective actions for fire-fighters | : No special measures are required. |
| Special protective equipment for fire-fighters | : Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. |

Section 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

| For non-emergency personnel | : Do not breathe dust. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. |
|-------------------------------------|--|
| For emergency responders | : If specialized clothing is required to deal with the spillage, take note of any information inSection 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel". |
| Environmental precautions | : Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air). |
| Methods and materials for containme | nt and cleaning up |
| Small Spill | : Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. |
| Large Spill | : Prevent entry into sewers, water courses, basements or confined areas. Vacuum or sweep up material and place in a designated, labeled waste container. Dispose of via a licensed waste disposal contractor. Note: see Section 1 for emergency contact information and Section 13 for waste disposal. |

Specifically Designed forMineral Treated Spas

Product name Revision date

Mineral Buddies™ pH & Alk Down

10-10-16

Section 7 Handling and Storage

Precautions for safe handling

| Protective measures Advice on general | :Put on appropriate personal protective equipment (see Section 8). Avoid breathing dusts. Wash thoroughly after handling. |
|---|--|
| Occupational hygiene | :Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures. |
| Conditions for safe storage, Including any incompatibilities | :Material is hygroscopic and will readily absorb moisture. DO NOT store dry product where exposed to moist conditions. Keep container tightly closed. |

Section 8 Exposure controls / personal protection

Control parameters **Occupational exposure limits** None <u>Mexico</u> None Appropriate engineering : If user operations generate dust, fumes, gas, vapor or mist, use process controls enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits. **Environmental exposure** : Emissions from ventilation or work process equipment should be checked to controls ensure they comply with the requirements of environmental protection legislation. Individual protection measures : Ensure that eyewash stations and safety showers are close to the workstation Hygiene measures location. Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. **Eve/face protection** : Safety evewear should be used when there is a likelihood of exposure. Recommended: Safety glasses with side shields. Skin protection Hand protection : Use gloves appropriate for work or task being performed. Recommended: Rubber gloves. **Body protection** : Cotton-blend coveralls Other skin protection :Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product. : In dusty atmospheres (>10 mg/m³), use a NIOSH-approved dust respirator. **Respiratory protection**

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name Revision date

Mineral Buddies™ pH & Alk Down

10-10-16

Section 9 Physical and chemical properties

Appearance

Section 10 Stability and reactivity

| - | - |
|------------------------------------|--|
| Reactivity | : No specific test data related to reactivity available for this product or its ingredients. |
| Chemical stability | : The product is stable. |
| Possibility of hazardous reactions | : Under normal conditions of storage and use, hazardous reactions will not occur. |
| Conditions to avoid | : DO NOT store dry product where exposed to moist conditions. |
| Incompatible materials | : Reactive or incompatible with the following materials: oxidizing materials, acids and alkalis. DO NOT MIX dry or concentrated solutions of this product with concentrated solutions of chlorine bleach, ammonia cleansers or similar products. |
| Hazardous decomposition products | : Under normal conditions of storage and use, hazardous decomposition products should not be produced. |

Section 11 Toxicological information

Information on toxicological effects

Acute toxicity

| Product/ingredient name | Result | Species | Dose | Exposure |
|-------------------------|-----------|---------|------------|----------|
| Sodium bisulfate | LD50 Oral | Rat | 2800 mg/kg | - |

| Irritation/Corrosion - | There is no data available |
|------------------------|----------------------------|
| Sensitization - | There is no data available |
| Carcinogenicity - | There is no data available |

Specifically Designed forMineral Treated Spas

SAFETY DATA SHEET

Product name Revision date

Mineral Buddies™ pH & Alk Down

10-10-16

| Specific target organ toxicity (single exposure) - There is no data available | | | | |
|---|---|--|--|--|
| Specific target organ toxicity (repeated exposure)- There is no data available | | | | |
| Aspiration hazard- | There is no data available | | | |
| Information on the likely routes of exposure <u>Potential acute health effect</u> | : Dermal contact. Eye contact. Inhalation. Ingestion. | | | |
| Eye contact | : Causes serious eye damage. | | | |
| Inhalation | : Inhalation of dust may irritate nose, throat and/or lungs. | | | |
| Skin contact | : Prolonged exposure may cause skin irritation. | | | |
| Ingestion | : Small amounts (tablespoonful) swallowed are not likely to cause injury; however, swallowing large amounts may irritate or burn digestive tract. | | | |
| Symptoms related to the phys | ical. chemical and toxicological characteristics | | | |
| Eye contact | : Adverse symptoms may include the following: pain watering redness | | | |
| Inhalation | :No known significant effects or critical hazards. | | | |
| Skin contact | :Adverse symptoms may include the following: pain or irritation redness blistering may occur if repeated exposure | | | |
| Ingestion | Adverse symptoms may include the following: stomach pains | | | |
| Delayed and immediate effect | s and also chronic effects from short and long term exposure | | | |
| Short term exposure Potential immediate effects | : No known significant effects or critical hazards. | | | |
| Potential delayed effects | : No known significant effects or critical hazards. | | | |
| Long term exposure Potential immediate effects | : No known significant effects or critical hazards. | | | |
| Potential delayed effects | : No known significant effects or critical hazards | | | |
| Potential chronic health effect General Carcinogenicity Mutagenicity Teratogenicity Developmental effects Fertility effects | No known significant effects or critical hazards. | | | |

Specifically Designed forMineral Treated Spas

Product name

Mineral Buddies[™] pH & Alk Down

Revision date

10-10-16

Section 11 Toxicological information (Continued)

Acute toxicity estimates Route ATE value Oral 3080.3 mg/kg Section 12 Ecological information **Toxicity** There is no data available. Persistence and degradability : There is no data available. Bioaccumulative potential : There is no data available. Mobility in soil Soil/water partition : There is no data available. coefficient (Koc) Other adverse effects : This product readily dissolves in water to form a weak acid solution. A 0.05 percent or greater (by weight) solution of this product will likely be acutely harmful to aquatic life. Section 13 **Disposal considerations Disposal Methods** : The generation of waste should be avoided or minimized wherever possible. This material and its container must be disposed of in a safe way. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

Empty containers or liners may retain some product residues. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor.

| Section 14 | Transport information |
|------------|-----------------------|
|------------|-----------------------|

| | DOT/MEX Classification | IMDG | ΙΑΤΑ |
|---------------|------------------------|---------------|---------------|
| UN number | Not regulated | Not regulated | Not regulated |
| UN proper | - | - | - |
| Shipping name | | | |
| Transport | - | - | - |
| Hazard class | | | |
| Packing group | - | - | - |
| Environmental | No | No | No |
| hazards | | | |
| Additional | - | - | - |
| information | | | |

Special precautions for user

:Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage. : Not available.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Section 15 Regulatory information

: TSCA 8 (a) CDR Exempt Partial exemption: Not determined

United States inventory (TSCA 8b): All components are listed or exempted.

U.S. Federal regulations

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies™ pH & Alk Down

| Revision date | 10-10-16 |
|---|--------------|
| Clean Air Act Section 112 (b) Hazardous Air Pollutants (HAPs) | : Not Listed |
| Clean Air Act Section 602 Class I Substances | : Not Listed |
| Clean Air Act Section 602 Class II Substances | : Not Listed |
| DEA List I Chemicals (Precursor Chemicals) | : Not Listed |
| DEA List II Chemicals (Essential Chemicals) | : Not Listed |
| | |

SARA 302/304

Composition/information on ingredients

No products were found.

SARA 304 RQ: :Not applicable

SARA 311/312

Classification : Immediate (acute) health hazard

Composition/information on ingredients

| Name | % | Fire Hazard | Sudden Release of Pressure | Reactive | Immediate (acute) Health hazard | Delayed (chronic) Health hazard |
|---------------------|-----|----------------|----------------------------------|----------|--|--|
| Sodium Bisulfate | >90 | No. | No. | No. | Yes. | No. |

State regulations

| Massachusetts | : None of the components are listed. |
|---------------|--------------------------------------|
| New York | : None of the components are listed. |
| New Jersey | : None of the components are listed. |
| Pennsvlvania | : None of the components are listed. |

California Prop. 65

No products were found.

<u>Mexico</u>

| Classification | : | <u>Health</u> | <u>Flammability</u> | <u>Reactivitv</u> |
|----------------|---|---------------|---------------------|-------------------|
| | | 1 | 0 | 0 |

Section 16 Other information

DATE OF PREPARATION 5-15-2015

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.

Specifically Designed for Mineral Treated Spas

present and easy to do. Continue rinsing

you feel unwell P330 - Rinse mouth

P337 + P313 - If eye irritation persists: Get medical advice/attention.

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if

P280 - Wear protective gloves/protective clothing/eye protection/face protection

SAFETY DATA SHEET

| Product name | Mineral Buddies™ Calcium Up | | | |
|---|---|--------------------------|---|--|
| Revision date | 10-10-16 | | | |
| Section 1 Identificat | ion | | | |
| Product ID: | Calcium Up | | | |
| Chemical Name: Synonyms: CAS Number: | Calcium Chloride Calcium Chloride Flake 10043-52-4 | | | |
| Product Use: | Raises Calcium, Prevents Corrosion | | | |
| Supplier: | Oreq Corporation 42306 Remington Ave. Temecula, CA 92590 951-296-5076 | Distributor: | Carefree Stuff 5220 4 th Street, Ste 2 Irwindale, CA 91702 626-337-0611 | |
| | CHEMTREC: 800-424-9300 | | | |
| | | | | |
| GHS CLASSIFICATION: | Acute Oral Toxicity Serious Eye Damage/Eye Irritation | Category 4 Category 2 | | |
| GHS SIGNAL WORD: | WARNING | | | |
| HAZARD PICTOGRAMS: | (!) | | | |
| Appearance: White Physical State: Flake Odor: Odorless | | | | |
| Hazard Statement(s) | | | | |
| H302 Harmful if swallowed H316 Causes mild skin irritation H319 Causes serious eye irritation | | | | |
| Precautionary Statement(s): | | | | |
| | or smoke when using this product. IF IN EYES: Rinse cautiously with water for se | everal minutes. Re | emove contact lenses, if | |

Page **1** of **6**

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies™ Calcium Up

Revision date 10-10-16

Section 3 Composition / Information on ingredients

| Chemical Name | CAS-No | Weight % |
|--------------------|----------------|----------|
| Calcium Chloride | 10043-52-4 | 74-100 |
| Water | 7732-18-5 0-26 | |
| Sodium Chloride | 7647-14-5 | < 3 |
| Potassium Chloride | 7447-40-7 | < 3 |
| Magnesium Chloride | 7786-30-3 | < 0.5 |

Section 4 First - aid measures

Eye Contact: Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Keep eye wide open while rinsing. Obtain medical attention if irritation persists.

Skin Contact: Wash off immediately with soap and plenty of water. Get medical attention if irritation develops and persists.

Inhalation: Move to fresh air. Get medical attention immediately if symptoms occur.

Ingestion: IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell Rinse mouth.

Notes to Physician: Treat symptomatically and supportively.

Section 5 Fire - fighting measures

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

Unsuitable Extinguishing Media

Specific Hazards Arising from the Chemical

Avoid generating dust, under certain conditions may cause respiratory irritation. Thermal decomposition can lead to release of irritating and toxic gases and vapors.

None

Explosion Data

Sensitivity to Mechanical ImpactNoneSensitivity to Static DischargeNone

Protective Equipment and Precautions for Firefighters

As in any fire, wear self-contained breathing apparatus pressure-demand, MSHA/NIOSH (approved or equivalent) and full protective gear.

Section 6 Accidental release measures

Personal Precautions:

Avoid contact with the skin and the eyes. Use personal protective equipment. Avoid dust formation.

Environmental Precautions:

Prevent large spills from entering into soil, ditches, sewers, waterways and/or groundwater. See Section 12,

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies™ Calcium Up

Revision date 10-10-16

Section 6 Accidental release measures (Continued)

Ecological Information.

Methods and Materials for Containment and Cleaning Up:

Small and large spills: Contain spilled material if possible. Collect in suitable and properly labeled containers. Flush residue with plenty of water. See Section 13, Disposal considerations, for additional information.

Section 7 Handling and storage

- Handling: Wash thoroughly after handling. Use with adequate ventilation. Minimize dust generation and accumulation. Keep container tightly closed. Do not get on skin or in eyes. Do not ingest or inhale. Wash clothing before reuse. Always use cool water when dissolving Calcium Chloride. Heat evolved is significant.
- **Storage:** Store in a tightly closed container. Store in a cool, dry, well-ventilated area away from incompatible substances. Store protected from moisture. Store below melting point.

Incompatible Products: Zinc, Bromine tri-fluoride, Methyl vinyl ether

Section 8 Exposure controls / personal protection

Exposure Guidelines

| Chemical Name | ACGIH TLV | OSHA PEL | NIOSH IDLH |
|------------------|-----------------------------------|---------------------------------|------------|
| Calcium Chloride | ACGIH - (TLV-TWA) Guidelne | OSHA (PEL-TWA) - Z-3 Mineral | - |
| 10043-52-4 | for nuisance particulate | Dusts, Inert or Nuisance dusts, | |
| | (inhalable particulate): 10 mg/m3 | (respirable fraction): 5 mg/m3 | |

Engineering Measures Provide local exhaust ventilations system. When there is a potential for exposure, an emergency eyewash and safety shower should be provided within the immediate work area.

Individual protection measures, such as personal protective equipment

Eye/Face Protection Wear safety glasses with non-flexible side shields or chemical goggles

Skin and Body ProtectionHands and Feet:
Wear appropriate protective non-leather protective gloves and boots. Chemical protective
gloves and boots such as PVC, Neoprene, or Heavy Nitrile are recommended. Leather
products do not offer adequate protection and will dehydrate with resultant shrinkage and
possible destruction.Body:Wear appropriate protective, impervious clothing.

- **Respiratory Protection** A respirator is not indicated under normal operating conditions. Use of a NIOSH approved respirator (N95 or greater) should be based on the presence of nuisance dusts.
- **Hygiene Measures** When using, do not eat, drink or smoke. Remove and wash contaminated clothing before reuse. Provide regular cleaning of equipment, work area and clothing.

Specifically Designed for Mineral Treated Spas

SAFETY DATA SHEET

Product name

Mineral Buddies™ Calcium Up

Revision date

Section 9 Physical and chemical properties

10-10-16

Physical State: Flake Appearance: white Odor: odorless pH: 8-10 100 g/l aq.sol. Vapor Pressure: Not available. Vapor Density: Not available. Evaporation Rate: Not available. Viscosity: Not available. Boiling Point: > 1600 deg C @ 760.0 Freezing/Melting Point: 782 deg C Decomposition Temperature: Not available. Solubility: 740 g/l water (20°C) Specific Gravity/Density: Not available. Molecular Formula: CaCl2 Molecular Weight: 110.99

Section 10 Stability and reactivity

Chemical Stability: Stable.

Conditions to Avoid: Dust generation, excess heat, exposure to moist air or water. **Incompatibilities with Other Materials:** Zinc, Bromine tri-fluoride, Methyl vinyl ether **Hazardous Decomposition Products**: Hydrogen chloride, calcium oxide. **Hazardous Polymerization:** Will not occur.

Section 11 Toxicological information

Information on likely routes of exposure

InhalationMay cause irritation of respiratory tract.Eye ContactIrritating to eyes.Skin ContactMay cause irritation.IngestionHarmful if swallowed.

Component Information

| Chemical Name | LD50 Oral | LD50 Dermal | LC50 Inhalation |
|--------------------|----------------------|----------------------|-----------------------|
| Calcium Chloride | = 1000 mg/kg (Rat) | = 2630 mg/kg (Rat) | - |
| Potassium Chloride | = 2600 mg/kg (Rat) | - | - |
| Sodium chloride | = 3 g/kg (Rat) | > 10 g/kg (Rabbit) | > 42 g/m3 (Rat) 1 h |

Symptoms related to the physical. chemical and toxicological characteristics May cause irritation to the respiratory system.

Delayed and immediate effects and also chronic effects from short and long term exposure

| Eye damage/irritation | Irritating to eyes. |
|------------------------|---|
| Sensitization | No information available. |
| Mutagenic Effects | No information available. |
| Carcinogenicity | Contains no ingredients above reportable quantities listed as a carcinogen. |
| Reproductive Toxicity | No information available. |
| STOT - single exposure | No information available. |

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies[™] Calcium Up

Revision date

10-10-16

Section 11 Toxicological information (Continued)

STOT - repeated exposure Chronic Toxicity Aspiration Hazard No information available. Avoid repeated exposure. No information available.

<u>Numerical measures of toxicity - Product</u> Acute Toxicity

0% of the mixture consists of ingredient(s) of unknown toxicity. ter 3.1 of the GHS document:

The following values are calculated based on chapter 3.1 of the GHS document:LD50 Oral979 mg/kg; Acute toxicity estimateLD50 Dermal2630 mg/kg; Acute toxicity estimate

Section 12 Ecological information

| Ecotoxicity | | | | |
|---------------------------------|---|---|-------------------------------|--|
| Chemical Name | Toxicity to Algae | Toxicity to Fish | Toxicity to Microorganisms | Daphnia Magna (Water Flea) |
| Calcium Chloride 10043-52-4 | | LC50 96 h: = 10650 mg/L static (Lepomis macrochirus) | | LC50 48 h: = 2400 mg/L (Daphnia magna) |
| Potassium Chloride 7447-40-7 | EC50 72 h: = 2500 mg/L (Desmodesm us subspicatus) | LC50 96 h: 750-1020 mg/L static (Pimephales promelas) LC50 96 h: = 1060 mg/L static (Lepomis macrochirus) | | EC50 48 h: = 825 mg/L (Daphnia magna) EC50 48 h: = 83 mg/L Static (Daphnia magna) |
| Sodium chloride 7647-14-5 | | LC50 96 h: 5560 - 6080 mg/L flow- through (Lepomis macrochirus) LC50 96 h: = 12946 mg/L static (Lepomis macrochirus) LC50 96 h: 6020 - 7070 mg/L static (Pimephales promelas) LC50 96 h: = 7050 mg/L semi-static (Pimephales promelas) LC50 96 h: 6420 - 6700 mg/L static (Pimephales promelas) LC50 96 h: 4747 - 7824 mg/L flow-through (Oncorhynchus mykiss) | | EC50 48 h: = 1000 mg/L (Daphnia magna) EC50 48 h: 340.7 - 469.2 mg/L Static (Daphnia magna) |

Section 13 Disposal considerations

Waste Disposal Methods This material, as supplied, is not a hazardous waste according to Federal regulations (40 CFR 261). This material could become a hazardous waste if it is mixed with or otherwise comes in contact with a hazardous waste, if chemical additions are made to this material, or if the material is processed or otherwise altered. Consult 40 CFR 261 to determine whether the altered material is a hazardous waste. Consult the appropriate state, regional, or local regulations for additional requirements.

Contaminated Packaging Do not re-use empty containers.

Section 14 Transport information

| US DOT – | Not Regulated |
|----------|---------------|
| TDG – | Not Regulated |
| MEX – | Not Regulated |

Specifically Designed for Mineral Treated Spas

Product name

Mineral Buddies[™] Calcium Up

Revision date 10-10-16

Section 15 Regulatory information

| International Inventories | |
|---------------------------|----------|
| TSCA | Complies |
| DSL | Complies |

Legend

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory **DSL/NDSL -** Canadian Domestic Substances List/Non-Domestic Substances List

U.S. Federal Regulations

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product does not contain any chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372.

SARA 311/312 Hazard Categories

| Acute Health Hazard | Yes |
|-----------------------------------|-----|
| Chronic Health Hazard | No |
| Fire Hazard | No |
| Sudden Release of Pressure Hazard | No |
| Reactive Hazard | No |

Clean Water Act

This product does not contain any substances regulated as pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42).

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

U.S. State Regulations

California Proposition 65

This product does not contain any Proposition 65 chemicals.

U.S. State Right-to-Know Regulations

This product does not contain any substances regulated by state right-to-know regulations.

U.S. EPA Label Information

EPA Pesticide Registration Number Not applicable

Section 16 Other information

HMIS Rating

Health hazard: 1 Flammability: 0 Physical Hazard 1

NFPA Rating

Health hazard: 1 Fire Hazard: 0 Reactivity Hazard: 1

DATE OF PREPARATION 10-10-16

THE INFORMATION SUPPLIED ABOVE IS PRESENTED IN GOOD FAITH AND HAS BEEN DERIVED FROM SOURCES BELIEVED TO BE RELIABLE, HOWEVER, NO WARRANTY EXPRESSED OR IMPLIED IS EXTENDED REGARDING ITS ACCURACY OR THE RESULTS TO BE OBTAINED FROM ITS USE SINCE CONDITIONS OF USE ARE BEYOND OUR CONTROL. ALL RISKS ARE ASSUMED BY THE USER.